



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

## **Product image**







To feed through power, signal, and data is the classical requirement in electrical engineering and panel building. The insulating material, the connection system and the design of the terminal blocks are the differentiating features. A feed-through terminal block is suitable for joining and/or connecting one or more conductors. They could have one or more connection levels that are on the same potential or insulated against one another.

### **General ordering data**

| Version    | Feed-through terminal block, Screw connection,<br>medium yellow, 70 mm², 192 A, 1000 V, Number<br>of connections: 1 |
|------------|---|
| Order No.  | <u>0150420000</u>   |
| Туре       | SAKG 70 II/GW   |
| GTIN (EAN) | 4008190126841   |
| Qty.       | 10 items  |





#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

| App | roval | ls |
|-----|-------|----|
|-----|-------|----|

Approvals





ROHS Conform

### **Dimensions and weights**

| Depth      | 51.4 mm  | Depth (inches)  | 2.0236 inch |
|------------|----------|-----------------|-------------|
| Height     | 84 mm    | Height (inches) | 3.3071 inch |
| Width      | 32 mm    | Width (inches)  | 1.2598 inch |
| Net weight | 158.66 g |                 |             |

#### **Temperatures**

| Storage temperature              | -25 °C55 °C | Ambient temperature              | -5 °C40 °C |
|----------------------------------|-------------|----------------------------------|------------|
| Continuous operating temp., min. | -60 °C      | Continuous operating temp., max. | 130 °C     |

# **Environmental Product Compliance**

| RoHS Compliance Status               | Compliant with exemption             |
|--------------------------------------|--------------------------------------|
| RoHS Exemption (if applicable/known) | 6c                                   |
| REACH SVHC                           | Lead 7439-92-1                       |
| SCIP                                 | 999cd67e-471e-4085-8dba-1342fcea86de |

# **Material data**

| Basic material            | KrG      | Colour | medium yellow |
|---------------------------|----------|--------|---------------|
| UL 94 flammability rating | V-0, 5VA |        |               |

#### **System specifications**

| Version                             | Stud terminal | End cover plate required      | Yes |
|-------------------------------------|---------------|-------------------------------|-----|
| Number of potentials                | 1             | Number of levels              | 1   |
| Number of clamping points per level | 2             | Number of potentials per tier | 1   |
| Levels cross-connected internally   | No            | PE connection                 | No  |
| Mounting rail                       | TS 32         | N-function                    | No  |
| PE function                         | No            | PEN function                  | No  |

# Additional technical data

| Open sides               | Open | Number of similar terminals | 1       |
|--------------------------|------|-----------------------------|---------|
| Explosion-tested version | No   | Type of mounting            | Snap-on |

# **CSA** rating data

| Wire cross section max. (CSA) | 0000 AWG | Voltage size C (CSA)  | 600 V     |
|-------------------------------|----------|-----------------------|-----------|
| Current size C (CSA)          | 200 A    | Certificate No. (CSA) | 12400-199 |
| Wire cross section min. (CSA) | 00 AWG   |                       |           |

## **Conductors for clamping (additional connection)**

Connection type, additional connection Screw connection





### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

| Wire connection cross section AWG, max.   | AWG 4/0            | Connection direction  | on side            |
|---|--------------------|---|--------------------|
| Tightening torque, max.   | 12 Nm              | Tightening torque, min.   | 6 Nm               |
| Type of connection  | Screw connection   | Number of connections   | 1                  |
| Clamping range, max.  | 95 mm²             | Clamping range, min.  | 10 mm <sup>2</sup> |
| Clamping screw  | M 8                | Wire connection cross section AWG, min.   | AWG 20             |
| Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, min. | 10 mm <sup>2</sup> | Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, min. | 10 mm²             |
| Wire connection cross section, finely stranded, max.                                    | 95 mm²             | Wire connection cross section, finely stranded, min.                                    | 10 mm <sup>2</sup> |
| Connection cross-section, stranded, max.  | 95 mm²             | Connection cross-section, stranded, mir   | n. 10 mm²          |
| Wire connection cross-section, solid core, max.   | 16 mm²             | Wire connection cross-section, solid core, min.   | 10 mm <sup>2</sup> |
| Connection cross-section, finely stranded, min.   | 10 mm²             |   |                    |

### General

| Wire connection cross section AWG, | AWG 4/0       | Wire connection cross section AWG, | AWG 20 |
|------------------------------------|---------------|------------------------------------|--------|
| max.                               |               | min.                               |        |
| Standards                          | IEC 60947-7-1 | Mounting rail                      | TS 32  |

# **Rating data**

| Rated cross-section                          | 70 mm²  | Rated voltage                   | 1000 V        |
|--|---------|---------------------------------|---------------|
| Rated DC voltage                             | 1000 V  | Nominal current                 | 192 A         |
| Current at maximum wires                     | 192 A   | Standards                       | IEC 60947-7-1 |
| Volume resistance according to IEC 60947-7-x | 0.17 mΩ | Rated impulse withstand voltage | 8 kV          |
| Power loss in accordance with IEC 60947-7-x  | 6.14 W  | Pollution severity              | 3             |

#### **Classifications**

| ETIM 8.0    | EC000897    | ETIM 9.0    | EC000897    |
|-------------|-------------|-------------|-------------|
| ETIM 10.0   | EC000897    | ECLASS 14.0 | 27-25-01-01 |
| ECLASS 15.0 | 27-25-01-01 |             |             |



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

### **Disconnect plugs**



In contrast to the terminal blocks with integrated disconnect lever, our disconnect plugs can be completely detached or removed from the terminal block and the respective application and offer a flexible alternative solution to our standard disconnectors.

#### General ordering data

 Type
 QL 2 SAKG32+70
 Version

 Order No.
 0194000000
 Cross-connector (terminal), when screwed in, grey, 150 A, Number of poles: 2, Pitch in mm (P): 32.00, Insulated: No, Width: 50 mm

 Qty.
 5 ST

#### **End plates and partition plates**



Partition plates and end plates are essential accessories for terminal blocks. Partition plates provide optical and electrical separation of different potentials and functional groups, increasing safety and ensuring a clear structure inside the control cabinet. End plates close the terminal block row on the sides, protect against contact with live parts, and ensure a clean, stable finish. Both components are precisely matched to the respective Weidmüller terminal block series, contributing to safe, compliant, and professional wiring.

### **General ordering data**

| Туре                    | TW SAKG28 HP/TF/GE/2               | Version  |
|-------------------------|------------------------------------|--|
| Order No.               | 0164600000                         | Partition plate (terminal), yellow, Height: 120 mm, Width: 2 mm, V-2,                  |
| GTIN (EAN)              | 4008190141998                      | PA 66  |
| Qty.                    | 10 ST                              |  |
| Туре                    | EP 1 SAKG28/32 HP/TF/GE            | Version  |
|                         |                                    |  |
| Order No.               | 0205200000                         | End and partition plate for terminals, yellow, Height: 120 mm, Width:                  |
| Order No.<br>GTIN (EAN) | <u>0205200000</u><br>4008190088675 | End and partition plate for terminals, yellow, Height: 120 mm, Width: 2 mm, V-2, PA 66 |

Creation date 14.12.2025 03:22:01 MEZ



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

#### **Blank**



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 MC NE WS |
|------------|------------------|
| Order No.  | 1609801044       |
| GTIN (EAN) | 4008190397111    |
| Otv        | 1000 ST          |

Version

Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00

Weidmueller, white

#### **Custom printing**



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Type       | DEK 5/5 MC SDR | Version   |
|------------|----------------|---|
| Order No.  | 1609810000     | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190456597  | Weidmueller, To customer specification                    |
| Qty.       | 200 ST         |   |

Creation date 14.12.2025 03:22:01 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

#### **Blank**



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| General    | oruering uata     |   |
|------------|-------------------|---|
| Туре       | DEK 5/5 MC NE BL  | Version   |
| Order No.  | <u>1609801693</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397166     | Weidmueller, blue   |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE BR  | Version   |
| Order No.  | 1249870000        | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118051865     | Weidmueller, brown  |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE GE  | Version   |
| Order No.  | 1609801687        | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397135     | Weidmueller, yellow                                       |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE GN  | Version   |
| Order No.  | <u>1609801688</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397142     | Weidmueller, green  |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE GR  | Version   |
| Order No.  | <u>1609801691</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397159     | Weidmueller, grey   |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE OR  | Version   |
| Order No.  | 1238340000        | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118062632     | Weidmueller, orange                                       |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE RT  | Version   |
| Order No.  | 1609801686        | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397128     | Weidmueller, red  |
| Qty.       | 1000 ST           |   |
| Туре       | DEK 5/5 MC NE SW  | Version   |
| Order No.  | 1457550000        | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118263817     | Weidmueller, black  |
| Qty.       | 1000 ST           |   |
|            |                   |   |



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

#### V0



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 MC NE VO WS |
|------------|---------------------|
| Order No.  | 1388530000          |
| GTIN (EAN) | 4050118188622       |

1000 ST

Version

Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00

Weidmueller, white

#### **Blank**

Qty.



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 MC NE VI | Version   |
|------------|------------------|---|
| Order No.  | 1249860000       | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118042764    | Weidmueller, violet                                       |
| Qty.       | 1000 ST          |   |

Creation date 14.12.2025 03:22:01 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

#### Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре              | DEK 5/5 PLUS MC NE GE               | Version  |
|-------------------|-------------------------------------|--|
| Order No.         | 1907520000                          | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00          |
| GTIN (EAN)        | 4032248532100                       | Weidmueller, yellow  |
| Qty.              | 1000 ST                             |  |
|                   |                                     |  |
| Туре              | DEK 5/5 PLUS MC NE WS               | Version  |
| Type<br>Order No. | DEK 5/5 PLUS MC NE WS<br>1854490000 | Version  Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
|                   | · ·                                 |  |

#### **Custom printing**



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 PLUS MC SDR | Version   |
|------------|---------------------|---|
| Order No.  | 1854500000          | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4032248393602       | Weidmueller, To customer specification                    |
| Qty.       | 200 ST              |   |

Creation date 14.12.2025 03:22:01 MEZ



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

#### **Blank**



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 S MC NE WS |
|------------|--------------------|
| Order No.  | 1341620000         |
| GTIN (EAN) | 4050118145793      |

400 ST

Version

Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00

Weidmueller, white

#### **Custom printing**

Qty.



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

| Туре       | DEK 5/5 S MC SDR  | Version   |
|------------|-------------------|---|
| Order No.  | <u>1341590000</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118146042     | Weidmueller, To customer specification                    |
| Qty.       | 80 ST             |   |

Creation date 14.12.2025 03:22:01 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

#### **DEK 5/5**



#### WS/DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

### **General ordering data**

 Type
 DEK 5/5 MM WS
 Version

 Order No.
 2007 110000
 Dekafix, Terminal marker, 5 x 5 mm, Weidmueller, white

 GTIN (EAN)
 4050118391862

 Qty.
 800 ST

#### Marker holder



The marker holder offer the possibility of additional mounting of standard markers with a pitch of 5 or 5.1 mm. The angled holders can be optionally snaped together and could be mounted in all standard marking channels of the Klippon® Connect modular terminal blocks. Fitting marker types could be found under the respective accessories of the designation marking holder.

### **General ordering data**

| Туре       | BZT 1 WS 10/5    | Version                    |
|------------|------------------|----------------------------|
| Order No.  | 1805490000       | Accessories, Marker holder |
| GTIN (EAN) | 4032248270231    |                            |
| Qty.       | 100 ST           |                            |
| Туре       | BZT 1 ZA WS 10/5 | Version                    |
| Order No.  | 1805520000       | Accessories, Marker holder |
| GTIN (EAN) | 4032248270248    |                            |
| Qty.       | 100 ST           |                            |

Creation date 14.12.2025 03:22:01 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

#### **DEK 5/8**



#### WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

### **General ordering data**

| Туре       | DEK 5/8 MM WS | Version  |  |
|------------|---------------|--|--|
| Order No.  | 2007130000    | Dekafix, Terminal marker, 5 x 8 mm, Weidmueller, white |  |
| GTIN (EAN) | 4050118392012 |  |  |
| Qty.       | 500 ST        |  |  |