

## KISC M3X20.5/10 EK4



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

## **General ordering data**

| Version    | Clamping yoke, Mounting screw, Steel |  |
|------------|--------------------------------------|--|
| Order No.  | 0303000000                           |  |
| Туре       | KISC M3X20.5/10 EK4                  |  |
| GTIN (EAN) | 4008190163686                        |  |
| Qty.       | 100 items                            |  |



## KISC M3X20.5/10 EK4



Weidmüller Interface GmbH & Co. KG

2

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

## **Technical data**

| Approvals                 |                             |                                     |                 |  |
|---------------------------|-----------------------------|-------------------------------------|-----------------|--|
| ROHS                      | Conform                     |                                     |                 |  |
| Dimensions and weights    |                             |                                     |                 |  |
| Depth                     | 4.8 mm                      | Depth (inches)                      | 0.189 inch      |  |
| Height                    | 20 mm                       | Height (inches)                     | 0.7874 inch     |  |
| Width                     | 4.8 mm                      | Width (inches)                      | 0.189 inch      |  |
| Diameter                  | 3 mm                        | Net weight                          | 1.16 g          |  |
| Temperatures              |                             |                                     |                 |  |
| Ambient temperature       | -5 °C40 °C                  |                                     |                 |  |
| Environmental Product C   | Compliance                  |                                     |                 |  |
| RoHS Compliance Status    | Compliant without exemption |                                     |                 |  |
| REACH SVHC                | No SVHC above 0.1 wt%       |                                     |                 |  |
| Material data             | ·                           |                                     |                 |  |
| Basic material            | Steel                       | Surface finish                      | Miscellaneous   |  |
| Colour                    | silver                      |                                     |                 |  |
| System specifications     |                             |                                     |                 |  |
| Version                   | for busbars                 |                                     |                 |  |
| Additional technical data | а                           |                                     |                 |  |
| Type of fixing            | when screwed in             | Installation advice                 | Direct mounting |  |
| Explosion-tested version  | No                          | Type of mounting                    | when screwed in |  |
| Dimensions                |                             |                                     |                 |  |
| Diameter                  | 3 mm                        | Metric size of the thread, external | 3.00 mm         |  |
| General                   |                             |                                     |                 |  |
| Installation advice       | Direct mounting             | Surface finish                      | Miscellaneous   |  |
| Classifications           |                             |                                     |                 |  |
| ETIM 8.0                  | EC002848                    | ETIM 9.0                            | EC002848        |  |
| ETIM 10.0                 | EC002848                    | ECLASS 14.0                         | 27-25-03-90     |  |
| ECLASS 15.0               | 27-25-03-90                 |                                     |                 |  |

Catalogue status / Drawings