

ISPF QB75 RT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

General ordering data

Version	Insulation profile, Plastic, red
Order No.	0526760000
Type	ISPF QB75 RT
GTIN (EAN)	4008 19015782 1
Qty.	10 items

Technical data

Approvals

ROHS Conform

Dimensions and weights

Depth	5.7 mm	Depth (inches)	0.2244 inch
Height	465 mm	Height (inches)	18.3071 inch
Width	2.5 mm	Width (inches)	0.0984 inch
Net weight	6 g		

Temperatures

Ambient temperature -5 °C...40 °C

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption
 REACH SVHC No SVHC above 0.1 wt%

Material data

Basic material Plastic Colour red

System specifications

Version Cover profile

Additional technical data

Type of fixing Plugged Installation advice Direct mounting
 Explosion-tested version No Type of mounting Plugged

General

Installation advice Direct mounting

Classifications

ETIM 8.0	EC002848	ETIM 9.0	EC002848
ETIM 10.0	EC002848	ECLASS 14.0	27-25-03-90
ECLASS 15.0	27-25-03-90		