ISPF QB75 BL

Product image

The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

General ordering data

Version	Insulation profile, Plastic, blue
Order No.	0526780000
Type	ISPF QB75 BL
GTIN (EAN)	4008190093105
Qty.	10 items

Creation date 13.03.2026 05:51:00 MEZ

Technical data

Approvals

ROHS	Conform

Dimensions and weights

Depth	5.7 mm	Depth (inches)	0.2244 inch
Height	465 mm	Height (inches)	18.3071 inch
Width	2.5 mm	Width (inches)	0.0984 inch
Net weight	5.91 g		

Temperatures

Ambient temperature	-5 °C...40 °C

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Material data

Basic material	Plastic	Colour	blue

System specifications

Version	Cover profile

Additional technical data

Type of fixing	Plugged	Installation advice	Direct mounting
Explosion-tested version	No	Type of mounting	Plugged

General

Installation advice	Direct mounting

Classifications

ETIM 8.0	EC002848	ETIM 9.0	EC002848
ETIM 10.0	EC002848	ECLASS 14.0	27-25-03-90
ECLASS 15.0	27-25-03-90		