

HDC SHIELD LEVER 8 LL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



Many demands are made on a connector's shielding. Several tailored solutions are available for meeting these requirements:

- Shield discharge via an EMC cable gland
- The use of shield levers together with shield clips

Shield clips are used to fasten the shielded conductor to the shield lever. The shield clips are available in various sizes for different sized conductors.

General ordering data

Version	Heavy-duty connectors, Accessories, Shield clamp
Order No.	1011380000
Type	HDC SHIELD LEVER 8 LL
GTIN (EAN)	4032248717729
Qty.	1 items

HDC SHIELD LEVER 8 LL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

Approvals



ROHS Conform

Dimensions and weights

Net weight 30 g

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption

REACH SVHC No SVHC above 0.1 wt%

Version

Installation size 8 Basic material Sheet steel, galvanized

Suitable for ModuPlug® No

Classifications

ETIM 8.0	EC002943	ETIM 9.0	EC002943
ETIM 10.0	EC002943	ECLASS 14.0	27-44-02-92
ECLASS 15.0	27-44-02-92		

HDC SHIELD LEVER 8 LL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Size 8



For the crimp connection, the wire connection level is designed as a crimp contact. The established crimp connection has been used as a standard for decades. Crimp contacts are not delivered with the inserts.

Number of poles: 24

Rated current: 16 A

Rated voltage: 500 V

Nominal voltage acc. to UL/CSA: 600 V AC/DC

General ordering data

Type	HDC HE 24 FC	Version
Order No.	1211600000	HDC insert, Female, 500 V, 16 A, Number of poles: 24, Crimp connection, Installation size: 8
GTIN (EAN)	4008190033200	
Qty.	1 ST	
Type	HDC HE 24 MC	Version
Order No.	1211500000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, Crimp connection, Installation size: 8
GTIN (EAN)	4008190042097	
Qty.	1 ST	
Type	HDC HE 24 MP	Version
Order No.	1873590000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, PUSH IN, Installation size: 8
GTIN (EAN)	4032248458202	
Qty.	1 ST	
Type	HDC HE 24 FP	Version
Order No.	1873580000	HDC insert, Female, 500 V, 16 A, Number of poles: 24, PUSH IN, Installation size: 8
GTIN (EAN)	4032248458196	
Qty.	1 ST	
Type	HDC HE 24 N FQT BL	Version
Order No.	2535140000	HDC insert, Female, 500 V, 16 A, Number of poles: 24, SNAP IN, Installation size: 8
GTIN (EAN)	4050118578256	
Qty.	1 ST	
Type	HDC HE 24 N MQT BL	Version
Order No.	2535100000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, SNAP IN, Installation size: 8
GTIN (EAN)	4050118578249	
Qty.	1 ST	
Type	HDC HE 24 FS	Version
Order No.	1211300000	HDC insert, Female, 500 V, 16 A, Number of poles: 24, Screw connection, Installation size: 8
GTIN (EAN)	4008190067298	
Qty.	1 ST	
Type	HDC HE 24 MS	Version
Order No.	1211100000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, Screw connection, Installation size: 8
GTIN (EAN)	4008190181703	
Qty.	1 ST	
Type	HDC HE 24 MS W/O SCREW	Version
Order No.	1713600000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, Screw connection, Installation size: 8
GTIN (EAN)	4008190331061	
Qty.	5 ST	
Type	HDC HE 24 MT	Version
Order No.	1745850000	HDC insert, Male, 500 V, 16 A, Number of poles: 24, Tension-clamp connection, Installation size: 8
GTIN (EAN)	4008190985578	
Qty.	1 ST	

HDC SHIELD LEVER 8 LL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	HDC HE 24 FT	Version	
Order No.	1745790000	HDC insert, Female, 500 V, 16 A, Number of poles: 24, Tension-clamp	
GTIN (EAN)	4008190985516	connection, Installation size: 8	
Qty.	1 ST		