

# **WQB-PEN 10**



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Product image**







The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

#### **General ordering data**

Version	Cross-connector (terminal), when screwed in, Silver grey, 57 A, Number of poles: 2, Pitch in mm (P): 10.00, Insulated: No, Width: 14.8 mm
Order No.	1060300000
Туре	WQB-PEN 10
GTIN (EAN)	4008190098346
Qty.	10 items



# **WQB-PEN 10**



# Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

Approvals				
ROHS	Conform			
Dimensions and weights				
Donath	1.2 mm	Donath (imphae)	0.0472 in ah	
Depth Height	25.8 mm	Depth (inches) Height (inches)	0.0472 inch 1.0157 inch	
Width	14.8 mm	Width (inches)	0.5827 inch	
Net weight	3.09 g	vvidti (inches)	0.3027 mon	
Temperatures	0.000 g			
Storage temperature	-25 °C55 °C	Ambient temperature	-5 °C40 °C	
Environmental Product C		Ambient temperature	3 040 0	
Liiviioiiiieitai i ioduct o				
RoHS Compliance Status	Compliant without exemption			
REACH SVHC	No SVHC above 0.1 wt	%		
Material data				
Basic material	tinned copper	Colour	Silver grey	
System specifications				
Version	Cross-connector			
Additional technical data	1			
Type of fixing	when screwed in	Installation advice	Feed-through (bushing) Direct mounting	
Explosion-tested version	No	Type of mounting	when screwed in	
Dimensions				
Pitch in mm (P)	10.00 mm			
	,		,	
Number of poles	2	Installation advice	Feed-through (bushing)	
Rating data			Direct mounting	
nating data				
Nominal current	57 A			
Classifications				
ETIM 6.0	EC000489	ETIM 7.0	EC000489	
ETIM 8.0	EC000489	ETIM 9.0	EC000489	
ETIM 10.0	EC000489	ECLASS 9.0	27-14-11-40	
ECLASS 9.1	27-14-11-40	ECLASS 10.0	27-14-11-40	
ECLASS 11.0	27-14-11-40	ECLASS 12.0	27-14-11-40	
ECLASS 13.0	27-25-03-03	ECLASS 14.0	27-25-03-03	
ECLASS 15.0	27-25-03-03			

Creation date 28.11.2025 08:24:08 MEZ

Catalogue status / Drawings 2