

SRC-I CLIP HM RCI
Weidmüller Interface GmbH & Co. KG

 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com
Product image


Relay modules with forcibly guided contacts
 Relays with forcibly guided contacts have a 99 % diagnostics coverage and an excellent reputation for use in safety systems. The contacts interlock mechanically with each other in order to ensure a synchronous switching status of both contacts. This guarantees that the alert contact will maintain the same switching status in the event of an error (for example, if the working contact welds from an overload). The controller (or safety controller) detects the alert contact and then compares the set values and actual values. If a difference occurs, measures can then be taken to protect equipment and human life.

- 2 CO contacts with 6 A, forcibly guided according to EN 61810-3 type B
- Proven component in safety technology
- Diagnosis coverage of 99 %

General ordering data

Version	RIDERSERIES RCI, Retaining clip
Order No.	1132090000
Type	SRC-I CLIP HM RCI
GTIN (EAN)	40322489 12209
Qty.	20 items

SRC-I CLIP HM RCI

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS Conform

Dimensions and weights

Net weight 0.44 g

Temperatures

Storage temperature -40 °C...85 °C Ambient temperature -40 °C...85 °C
 Operating temperature

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption
 REACH SVHC No SVHC above 0.1 wt%

General data

Version for high relays Basic material metal
 Colour silver

Classifications

ETIM 8.0 EC002586 ETIM 9.0 EC002586
 ETIM 10.0 EC002586 ECLASS 14.0 27-37-16-92
 ECLASS 15.0 27-37-16-92