



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Similar to illustration







Abbildung ähnlich

Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Mounting plates

Mounting plates, with and without hole patterns, for longitudinal and transverse mounting of DIN mounting rails or components directly onto the mounting plate.

General ordering data

| Version | Klippon TB (Terminal Box), Mounting plate, Height: 565 mm, Width: 389 mm, Depth: 12 mm, Basic material: Stainless steel 1.4301 (304), untreated, silver |
|------------|--|
| Order No. | <u>1193890000</u> |
| Туре | KTB MOPL 6245 S2N |
| GTIN (EAN) | 4050118028492 |
| Qty. | 1 items |

Catalogue status / Drawings





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

| Approvals | | | |
|--|---------------------------------|--|---|
| ROHS | Conform | | |
| KUHS | Conform | | |
| Dimensions and weights | ; | | |
| Donath | 12 mm | Donath (in the co) | 0.4724 inch |
| Depth | . = | Depth (inches) | |
| Height | 565 mm | Height (inches) | 22.2441 inch |
| Width | 389 mm | Width (inches) | 15.3149 inch |
| Net weight | 2760 g | | |
| Temperatures | | | |
| Operating temperature | | | |
| | | | |
| Environmental Product (| compliance | | |
| RoHS Compliance Status | Compliant without exempt | ion | |
| REACH SVHC | No SVHC above 0.1 wt% | 1011 | |
| NEACH SVIIC | NO SVIIC above 0.1 Wt% | | |
| General information | | | |
| NA | 4.5 | 0.6.5.1 | |
| Material thickness | 1.5 mm | Surface finish | untreated |
| Basic material | Stainless steel 1.4301 (304) | | |
| | | | |
| General information on a | occessories | | |
| | | | |
| Material thickness | 1.5 mm | Solder eyelet hole diameter (D) | 7 mm |
| General information on a Material thickness Surface finish | | Solder eyelet hole diameter (D) Basic material | 7 mm Stainless steel 1.4301 (304) |
| Material thickness Surface finish | 1.5 mm | | Stainless steel 1.4301 |
| Material thickness Surface finish Classifications | 1.5 mm untreated | Basic material | Stainless steel 1.4301 (304) |
| Material thickness Surface finish Classifications ETIM 8.0 | 1.5 mm untreated EC000213 | Basic material ETIM 9.0 | Stainless steel 1.4301 (304) |
| Material thickness Surface finish Classifications | 1.5 mm untreated | Basic material | Stainless steel 1.4301 (304) |

Catalogue status / Drawings 2



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Installation material



Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

Mounting hardware kits

Mounting hardware kits are available for quick and easy installation of type label holders, document holders and rain hoods.

The label fastening set – SD is required to install a plastic (Trafolyte) ID or type label. With the aid of this set can you mount the ID or type label directly on the enclosure cover. The label fastening set has been specially developed for this purpose. Only by using this fastening set can you ensure that there will be no leaks into the enclosure or damage to the label.

The universal fastening set – TPSD has been developed to enable secure and quick installation of type label holders, rain covers or document holders, for example. By using this fastening set, the risk of leaks can be minimised, if not avoided.

General ordering data

| Туре | FKSC M6X8 D9/SW3 | Version |
|------------|------------------|--|
| Order No. | 0642600000 | Klippon TB (Terminal Box), Mounting screw, Basic material: Steel |
| GTIN (EAN) | 4008190058258 | |
| Qty. | 50 ST | |

Depth 7.5 mm



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Terminal rails

The mounting rails are available in two sizes for mounting DIN rails (e.g. electronics, terminals) components in the enclosures.

General ordering data

| Туре | TS35X7.5 ST KTB6245 HOR | Version |
|-------------------|---------------------------------------|---|
| Order No. | 8000006727 | Rail, TS 35, TS 35 x 7.5, Width: 375 mm, without slot, Steel, |
| GTIN (EAN) | 4050118653007 | galvanized, chromium-plated |
| Qty. | 20 ST | |
| | | |
| Type | TS35X7.5 ST KTB6245 VER | Version |
| Type Order No. | TS35X7.5 ST KTB6245 VER 8000006716 | Version Rail, TS 35, TS 35 x 7.5, Width: 551 mm, without slot, Steel, |
| • • | | |

Creation date 06.12.2025 04:10:21 MEZ

Catalogue status / Drawings 4