

**TPSDHA KTB 130X50 S2 R****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Product image**

Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

**Nameplate holders**

There are a variety of designed label holders available for prominent display as required and for additional nameplates as needed.

**General ordering data**

|            |   |
|------------|---|
| Version    | Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height: 50 mm, Width: 171 mm, Depth: 16.5 mm, Basic material: Stainless steel 1.4301, Stainless steel 1.4301 (304), Mirror polished, silver |
| Order No.  | <a href="#">1283450000</a>  |
| Type       | TPSDHA KTB 130X50 S2 R  |
| GTIN (EAN) | 4050118073621   |
| Qty.       | 1 items   |

## TPSDHA KTB 130X50 S2 R

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Dimensions and weights

|            |         |                 |             |
|------------|---------|-----------------|-------------|
| Depth      | 16.5 mm | Depth (inches)  | 0.6496 inch |
| Height     | 50 mm   | Height (inches) | 1.9685 inch |
| Width      | 171 mm  | Width (inches)  | 6.7323 inch |
| Net weight | 80 g    |                 |             |

## Temperatures

|                       |
|-----------------------|
| Operating temperature |
|-----------------------|

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## General information

|                    |  |                        |   |
|--------------------|--|------------------------|---|
| Material thickness | 1 mm   | Surface finish         | Mirror polished   |
| Basic material     | Stainless steel 1.4301,<br>Stainless steel 1.4301<br>(304) | Note: protection class | Mounting is possible in any position on the lid, including inside the sealed area of the housing. The lid seal must, however, not be damaged. To guarantee a 100% seal, the assembly must be done using the fixing material, 1252190000 TPSD FIXING SET KTB. The attachment of the rating plate is done individually onto the rating plate holder. We recommend the use of fixing material 1285200000 SD FIXING SET for mounting. |

## General information on accessories

|                    |  |                |                 |
|--------------------|--|----------------|-----------------|
| Material thickness | 1 mm   | Surface finish | Mirror polished |
| Basic material     | Stainless steel 1.4301,<br>Stainless steel 1.4301<br>(304) |                |                 |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 8.0    | EC002626    | ETIM 9.0    | EC002626    |
| ETIM 10.0   | EC002626    | ECLASS 14.0 | 27-18-28-16 |
| ECLASS 15.0 | 27-18-28-16 |             |             |