


## SAIE-M8S-8-TL-HW

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)



Various build-in connectors are required for the connections on the device side of the sensor/actuator cabling. These are available in the versions M12, M8 and M5.

### General ordering data

Version	Built-in plugs, M8 thread, Mounting thread: M8, Number of poles: 8, Strand / cable length:
Order No.	<a href="#">1467610000</a>
Type	SAIE-M8S-8-TL-HW
GTIN (EAN)	4050118273502
Qty.	20 items

## SAIE-M8S-8-TL-HW

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Technical data

## Approvals

ROHS	Conform
------	---------

## Dimensions and weights

Net weight	4.97 g
------------	--------

## Environmental Product Compliance

RoHS Compliance Status	Compliant
REACH SVHC	Lead 7439-92-1
SCIP	ebf89fc8-a87f-4691-b87a-dfb9921774b4

## Technical specifications for cable

Number of poles	8
-----------------	---

## Technical data customisable plug-in connectors

Number of poles	8	Coding	none
Contact surface	Gold-plated	Type of connection	Pin
Housing main material	Brass, nickel-plated	Nominal voltage	30 V
Nominal current	1.5 A	Protection degree	IP67, when screwed in
Cable gland	M 8	Gender of contact	Male
Temperature range of housing	-25...+85 °C		

## Standards

Connector standard	IEC 61076-2-104
--------------------	-----------------

## General data

Number of poles	8	Coding	none
Connection thread	M8 thread	Contact surface	Gold-plated
Type of connection	Pin	Housing main material	Brass, nickel-plated
Nominal voltage	30 V	Nominal current	1.5 A
Protection degree	IP67, when screwed in	Cable gland	M 8
Rated voltage	30 V	Connection 1	M8
Connection 2	Dip soldering	Mounting thread	M8
Temperature range of housing	-25...+85 °C	Conductor O.D.	-

## Classifications

ETIM 8.0	EC003568	ETIM 9.0	EC003568
ETIM 10.0	EC003568	ECLASS 14.0	27-44-01-10
ECLASS 15.0	27-44-01-10		

**SAIE-M8S-8-TL-HW**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

**Drawings**

[www.weidmueller.com](http://www.weidmueller.com)

**Pole scheme**

