## **HDC HP ABGH COVER**



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







The protective housing is manufactured from seawater-resistant aluminium using pressure die casting. High standards of water and dust protection, as well as particularly high impact resistance, are the hallmarks of this housing series.

A sophisticated two-stage surface coating ensures years of reliability.

All screws, crimp contacts and other exterior accessory parts are made of corrosion-resistant stainless steel.

## **General ordering data**

Version	HDC enclosures, Cover
Order No.	<u>1473470000</u>
Туре	HDC HP ABGH COVER
GTIN (EAN)	4050118279917
Qty.	1 items



## **HDC HP ABGH COVER**



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

## **Technical data**

Conform		
41.2	\A/i-data /in-ala-a-\	1.626 inch
		1.020 inch
		, 3
-40 °C 120 °C		'
ompliance		'
Compliant without exemption		
No SVHC above 0.1 wt%		
41.3 mm		
Cover	LIL Q4 flammability rating	V-0
black (similar to RAL 9005)	Surface finish	Powder coating
Cover	Series	HighPower
false	Protection degree	IP68 when locked
	,	,
black (similar to RAL 9005)	Surface finish	Powder coating
Cover	Enclosure material	Aluminium diecast
HighPower	Material of gasket	EPDM
Depending on the intended operation, internally generated voltages can superimpose the work voltage and contain corresponding peaks. It is imperative to ensure that these peak voltages do not exceed the rated voltage. For applications outside of this specification, please contact us.		
		ecification, please contact us.
		ecification, please contact us.
not exceed the rated volta	ge. For applications outside of this sp	
		EC002943 27-44-02-92
	41.3 mm 55 mm  -40 °C 120 °C  ompliance  Compliant without exemp No SVHC above 0.1 wt%  41.3 mm  Cover black (similar to RAL 9005) Cover false  black (similar to RAL 9005) Cover HighPower	41.3 mm

Catalogue status / Drawings 2