CC-M 70/48 2X3 ST SDR



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Version	MetalliCard, Device markers, 70 x 48 mm, silver
Order No.	<u>1474400000</u>
Туре	CC-M 70/48 2X3 ST SDR
GTIN (EAN)	4050118290790
Qty.	1 items

Catalogue status / Drawings



CC-M 70/48 2X3 ST SDR



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

A	D	p	r	o	v	a	ı	s
---	---	---	---	---	---	---	---	---

ROHS

Dimensions and weights					
Depth	0.5 mm	Depth (inches)	0.0197 inch		
Height	70 mm	Height (inches)	2.7559 inch		
Width	48 mm	Width (inches)	1.8898 inch		

Temperatures

Net weight

Operating temperature range -55...130 °C

Conform

17.4 g

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

General data

pluggable, with 3.5 mm mounting hole		
48 mm		
130 ℃		
-55 ℃		
silver		
Micro-etched stainless steel 1.4301 (ST), Stainless steel 1.4301		
Requires M-Print PRO File		
Form of supply MetalliCard		
68 x 46 mm		
1 MetalliCard = Device markers		
-55130 °C		

Device markers

Drill-hole diameter 3.30 mm

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ETIM 8.0	EC001288	ETIM 9.0	EC001288
ETIM 10.0	EC001288	ECLASS 9.0	27-40-06-29
ECLASS 9.1	27-40-06-29	ECLASS 10.0	27-40-06-29
ECLASS 11.0	27-28-11-04	ECLASS 12.0	27-28-11-04
ECLASS 13.0	27-28-11-04	ECLASS 14.0	27-28-11-04
ECLASS 15.0	27-28-11-04		

Catalogue status / Drawings 2

CC-M 70/48 2X3 ST SDR



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings

Example of use

