

PZ PK 10/120**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Crimping tools for tubular and compression cable lugs with swivel crimping star.

- Integrated crimping star for different cross-sections
- Hexagon crimping tools for compression cable lugs
- WM-From crimping tools for tubular cable lugs
- wide processing range up to 70 or 120 mm²

General ordering data

Version	10mm ² , 120mm ² , Hexagonal crimp
Order No.	1500480000
Type	PZ PK 10/120
GTIN (EAN)	4050118309089
Qty.	1 items

Technical data

Dimensions and weights

Depth	660 mm	Depth (inches)	25.9842 inch
Net weight	3800 g		

Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Crimp inserts

Crimping width	5 mm	Crimp cross-section aluminium	10 ... 70 mm ²
----------------	------	-------------------------------	---------------------------

Description of contact

Crimping range, max.	120 mm ²	Crimping range, min.	10 mm ²
----------------------	---------------------	----------------------	--------------------

tool data crimping

Wire end ferrules cross-section, max.	120 mm ²	Wire end ferrules cross-section, min.	10 mm ²
Crimping type/profile	Hexagonal crimp		

Classifications

ETIM 8.0	EC000168	ETIM 9.0	EC000168
ETIM 10.0	EC000168	ECLASS 14.0	21-04-38-11
ECLASS 15.0	21-04-38-11		

Accessories

10 mm²10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M5/-10	Version
Order No.	1497870000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307252	
Qty.	100 ST	
Type	KP-M6/-10	Version
Order No.	1497880000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307283	
Qty.	100 ST	
Type	KP-M8/-10	Version
Order No.	1497890000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307573	
Qty.	100 ST	
Type	KP-M10/-10	Version
Order No.	1497910000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307276	
Qty.	100 ST	

16 mm²16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M5/-16	Version
Order No.	1497920000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307542	
Qty.	100 ST	
Type	KP-M6/-16	Version
Order No.	1497930000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307290	
Qty.	100 ST	

PZ PK 10/120

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M8/-16	Version
Order No.	1497940000	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307269	
Qty.	100 ST	
Type	KP-M10/-16	Version
Order No.	1497950000	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307450	
Qty.	100 ST	
Type	KP-M12/-16	Version
Order No.	1497960000	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307436	
Qty.	100 ST	

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-25	Version
Order No.	1497970000	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307412	
Qty.	100 ST	
Type	KP-M8/-25	Version
Order No.	1497980000	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307528	
Qty.	100 ST	
Type	KP-M10/-25	Version
Order No.	1497990000	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307535	
Qty.	100 ST	
Type	KP-M12/-25	Version
Order No.	1498000000	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307504	
Qty.	100 ST	
Type	KP-M16/-25	Version
Order No.	1498010000	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307443	
Qty.	100 ST	

Accessories

35 mm²35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-35	Version
Order No.	1498020000	cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307313	
Qty.	100 ST	
Type	KP-M8/-35	Version
Order No.	1498030000	cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307511	
Qty.	100 ST	
Type	KP-M10/-35	Version
Order No.	1498040000	cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307337	
Qty.	100 ST	
Type	KP-M12/35	Version
Order No.	1498050000	cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307320	
Qty.	100 ST	
Type	KP-M16/-35	Version
Order No.	1498060000	cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307382	
Qty.	100 ST	

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-50	Version
Order No.	1498510000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308006	
Qty.	100 ST	

PZ PK 10/120


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M8/-50	Version
Order No.	1498070000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307566	
Qty.	100 ST	
Type	KP-M10/-50	Version
Order No.	1498080000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307559	
Qty.	100 ST	
Type	KP-M12/-50	Version
Order No.	1498090000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307375	
Qty.	100 ST	
Type	KP-M14/-50	Version
Order No.	1498570000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308105	
Qty.	100 ST	
Type	KP-M16/-50	Version
Order No.	1498110000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307474	
Qty.	100 ST	
Type	KP-M20/-50	Version
Order No.	1498120000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307597	
Qty.	100 ST	

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M8/-70	Version
Order No.	1498130000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307351	
Qty.	50 ST	
Type	KP-M10/-70	Version
Order No.	1498140000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307429	
Qty.	50 ST	
Type	KP-M12/-70	Version
Order No.	1498150000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307467	
Qty.	50 ST	

PZ PK 10/120

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M14/-70	Version
Order No.	1498560000	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307696	
Qty.	50 ST	
Type	KP-M16/-70	Version
Order No.	1498160000	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307481	
Qty.	50 ST	
Type	KP-M20/-70	Version
Order No.	1498170000	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307344	
Qty.	50 ST	

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M8/-95	Version
Order No.	1498180000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307498	
Qty.	50 ST	
Type	KP-M10/-95	Version
Order No.	1498190000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307603	
Qty.	50 ST	
Type	KP-M12/-95	Version
Order No.	1498210000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307610	
Qty.	50 ST	
Type	KP-M14/-95	Version
Order No.	1498520000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307863	
Qty.	50 ST	
Type	KP-M16/-95	Version
Order No.	1498220000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307719	
Qty.	50 ST	
Type	KP-M20/-95	Version
Order No.	1498230000	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307634	
Qty.	50 ST	

Accessories

120 mm²120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M8/-120	Version
Order No.	1498480000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307900	
Qty.	50 ST	
Type	KP-M10/-120	Version
Order No.	1498240000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307368	
Qty.	50 ST	
Type	KP-M12/-120	Version
Order No.	1498250000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307627	
Qty.	50 ST	
Type	KP-M14/-120	Version
Order No.	1498490000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307771	
Qty.	50 ST	
Type	KP-M16/-120	Version
Order No.	1498270000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307580	
Qty.	50 ST	
Type	KP-M20/-120	Version
Order No.	1498280000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307702	
Qty.	50 ST	

10 mm²10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KWPN-M6/-10 90	Version	
Order No.	1497420000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307023		
Qty.	100 ST		
Type	KWPN-M8/-10 90	Version	
Order No.	1497430000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306927		
Qty.	100 ST		

16 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-16 90	Version	
Order No.	1497440000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306644		
Qty.	100 ST		
Type	KWPN-M8/-16 90	Version	
Order No.	1497450000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306873		
Qty.	100 ST		
Type	KWPN-M10/-16 90	Version	
Order No.	1497470000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307016		
Qty.	100 ST		
Type	KWPN-M12/-16 90	Version	
Order No.	1497480000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306866		
Qty.	100 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KWPN-M6/-25 90	Version	
Order No.	1497490000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306668		
Qty.	100 ST		
Type	KWPN-M8/-25 90	Version	
Order No.	1497510000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306972		
Qty.	100 ST		
Type	KWPN-M10/-25 90	Version	
Order No.	1497520000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306989		
Qty.	100 ST		
Type	KWPN-M12/-25 90	Version	
Order No.	1497530000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307108		
Qty.	100 ST		

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-35 90	Version	
Order No.	1497540000		cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118306996		
Qty.	100 ST		
Type	KWPN-M8/-35 90	Version	
Order No.	1497550000		cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307146		
Qty.	100 ST		
Type	KWPN-M10/-35 90	Version	
Order No.	1497570000		cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118307153		
Qty.	100 ST		
Type	KWPN-M12/-35 90	Version	
Order No.	1497580000		cable lug, terminal end,35 mm ²
GTIN (EAN)	4050118306682		
Qty.	100 ST		

Accessories

50 mm²



50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-50 90	Version	
Order No.	1497590000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118306699		
Qty.	100 ST		
Type	KWPN-M10/-50 90	Version	
Order No.	1497610000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307078		
Qty.	100 ST		
Type	KWPN-M12/-50 90	Version	
Order No.	1497620000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118306675		
Qty.	100 ST		
Type	KWPN-M16/-50 90	Version	
Order No.	1497630000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307115		
Qty.	100 ST		

70 mm²



70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-70 90	Version	
Order No.	1497640000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307047		
Qty.	25 ST		
Type	KWPN-M10/-70 90	Version	
Order No.	1497650000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307177		
Qty.	25 ST		

Accessories

Type	KWPN-M12/-70 90	Version	
Order No.	1497660000		cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307092		
Qty.	25 ST		
Type	KWPN-M16/-70 90	Version	
Order No.	1497680000		cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307122		
Qty.	25 ST		

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-95 90	Version	
Order No.	1497690000		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307207		
Qty.	25 ST		
Type	KWPN-M10/-95 90	Version	
Order No.	1497710000		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307139		
Qty.	25 ST		
Type	KWPN-M12/-95 90	Version	
Order No.	1497720000		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307214		
Qty.	25 ST		
Type	KWPN-M16/-95 90	Version	
Order No.	1497730000		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307054		
Qty.	25 ST		

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KWPN-M10/-120 90	Version	
Order No.	1497750000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307061		
Qty.	25 ST		
Type	KWPN-M12/-120 90	Version	
Order No.	1497760000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307184		
Qty.	25 ST		
Type	KWPN-M16/120 90	Version	
Order No.	1497770000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307030		
Qty.	25 ST		
Type	KWPN-M20/-120 90	Version	
Order No.	1497780000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307191		
Qty.	25 ST		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-10	Version	
Order No.	1498620000		cable lug, terminal end, 10 mm ² , 10 mm ² , None
GTIN (EAN)	4050118308136		
Qty.	100 ST		

16 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.


- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	VPN/-16	Version	
Order No.	1498630000		cable lug, terminal end,16 mm ² ,16 mm ² ,None
GTIN (EAN)	4050118307856		
Qty.	100 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-25	Version	
Order No.	1498640000		cable lug, terminal end,25 mm ² ,25 mm ² ,None
GTIN (EAN)	4050118308013		
Qty.	100 ST		

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-35	Version	
Order No.	1498650000		cable lug, terminal end,35 mm ² ,35 mm ² ,None
GTIN (EAN)	4050118308143		
Qty.	100 ST		

Accessories

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-50	Version	
Order No.	1498660000	Version	cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118307948		
Qty.	50 ST		

70 mm²70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-70	Version	
Order No.	1498670000	Version	cable lug, terminal end,70 mm ² ,70 mm ² ,None
GTIN (EAN)	4050118308020		
Qty.	50 ST		

95 mm²95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-95	Version	
Order No.	1498680000	Version	cable lug, terminal end,95 mm ² ,95 mm ² ,None
GTIN (EAN)	4050118307917		
Qty.	50 ST		

Accessories**120 mm²****120 mm²**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-120	Version	
Order No.	1498690000		
GTIN (EAN)	4050118307795		
Qty.	25 ST		
			cable lug, terminal end, 120 mm ² , 120 mm ² , None