

ES EPG 45 WM 25/50**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Version	50mm ² , WM crimp
Order No.	1500880000
Type	ES EPG 45 WM 25/50
GTIN (EAN)	4050118309171
Qty.	1 items

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	12 mm	Depth (inches)	0.4724 inch
Height	60 mm	Height (inches)	2.3622 inch
Width	30 mm	Width (inches)	1.1811 inch
Net weight	140 g		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Crimp inserts

Crimp cross-section copper	25/50	Crimping width in mm	12/10
----------------------------	-------	----------------------	-------

Description of contact

Conductor cross-section, max. AWG	1	Conductor cross-section, min. AWG	4
Crimping range, max.	50 mm ²		

tool data crimping

Crimping type/profile	WM crimp		
Cable lug cross section	nominal	25 mm ²	
	nominal	50 mm ²	

Classifications

ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Type	EPG 45	Version
Order No.	1500830000	Pressing tool, 6mm ² , 150mm ² , Hexagonal crimp, WM crimp, Indent
GTIN (EAN)	4050118309317	crimp, Trapezoidal crimp, Oval crimping
Qty.	1 ST	

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-50 S	Version
Order No.	1494820000	cable lug, terminal end, 50 mm ² , 50 mm ² - 50 mm ²
GTIN (EAN)	4050118304114	
Qty.	25 ST	
Type	KRN-M8/-50 S	Version
Order No.	1494830000	cable lug, terminal end, 50 mm ² , 50 mm ² - 50 mm ²
GTIN (EAN)	4050118304404	
Qty.	25 ST	
Type	KRN-M10/-50 S	Version
Order No.	1494840000	cable lug, terminal end, 50 mm ² , 50 mm ² - 50 mm ²
GTIN (EAN)	4050118304619	
Qty.	25 ST	

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

25 mm²25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-25 90	Version	
Order No.	1495850000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305456		
Qty.	100 ST		
Type	KWN-M8/-25 90	Version	
Order No.	1495870000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305470		
Qty.	100 ST		
Type	KWN-M10/-25 90	Version	
Order No.	1495880000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305449		
Qty.	100 ST		
Type	KWN-M12/-25 90	Version	
Order No.	1495890000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305647		
Qty.	100 ST		
Type	KWN-M14/-25 90	Version	
Order No.	1495900000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305517		
Qty.	100 ST		

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-50 90	Version	
Order No.	1495950000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305388		
Qty.	100 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M8/-50 90	Version
Order No.	1495970000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305425	
Qty.	100 ST	
Type	KWN-M10/-50 90	Version
Order No.	1495980000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305494	
Qty.	100 ST	
Type	KWN-M12/-50 90	Version
Order No.	1495990000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305654	
Qty.	100 ST	
Type	KWN-M14/50 90	Version
Order No.	1494650000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304251	
Qty.	100 ST	
Type	KWN-M16/-50 90	Version
Order No.	1496000000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305630	
Qty.	100 ST	
Type	KWN-M20/-50 90	Version
Order No.	1494710000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304442	
Qty.	100 ST	

25 mm²

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-25 45	Version
Order No.	1496180000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305876	
Qty.	100 ST	

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

240 mm²240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-25 45	Version	
Order No.	1496190000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118306231		
Qty.	100 ST		
Type	KWN-M10/-25 45	Version	
Order No.	1496200000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305593		
Qty.	100 ST		
Type	KWN-M12/-25 45	Version	
Order No.	1496210000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305715		
Qty.	100 ST		

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-50 45	Version	
Order No.	1496270000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305937		
Qty.	50 ST		
Type	KWN-M8/-50 45	Version	
Order No.	1496280000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306101		
Qty.	50 ST		
Type	KWN-M10/-50 45	Version	
Order No.	1496290000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305760		
Qty.	50 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M12/-50 45	Version	
Order No.	1496300000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306040		
Qty.	50 ST		

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-25	Version	
Order No.	1494730000		cable lug, terminal end,25 mm ² ,25 mm ² ,None
GTIN (EAN)	4050118304275		
Qty.	50 ST		

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-50	Version	
Order No.	1494750000		cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118304381		
Qty.	50 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-25	Version	
Order No.	1497970000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307412		
Qty.	100 ST		
Type	KP-M8/-25	Version	
Order No.	1497980000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307528		
Qty.	100 ST		
Type	KP-M10/-25	Version	
Order No.	1497990000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307535		
Qty.	100 ST		
Type	KP-M12/-25	Version	
Order No.	1498000000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307504		
Qty.	100 ST		
Type	KP-M16/-25	Version	
Order No.	1498010000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307443		
Qty.	100 ST		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-50	Version	
Order No.	1498510000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308006		
Qty.	100 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M8/-50	Version
Order No.	1498070000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307566	
Qty.	100 ST	
Type	KP-M10/-50	Version
Order No.	1498080000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307559	
Qty.	100 ST	
Type	KP-M12/-50	Version
Order No.	1498090000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307375	
Qty.	100 ST	
Type	KP-M14/-50	Version
Order No.	1498570000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308105	
Qty.	100 ST	
Type	KP-M16/-50	Version
Order No.	1498110000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307474	
Qty.	100 ST	
Type	KP-M20/-50	Version
Order No.	1498120000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307597	
Qty.	100 ST	

25 mm²



25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-25 90	Version
Order No.	1497490000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306668	
Qty.	100 ST	
Type	KWPN-M8/-25 90	Version
Order No.	1497510000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306972	
Qty.	100 ST	
Type	KWPN-M10/-25 90	Version
Order No.	1497520000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306989	
Qty.	100 ST	

ES EPG 45 WM 25/50


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWPN-M12/-25 90	Version	
Order No.	1497530000		cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307108		
Qty.	100 ST		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-50 90	Version	
Order No.	1497590000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118306699		
Qty.	100 ST		
Type	KWPN-M10/-50 90	Version	
Order No.	1497610000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118307078		
Qty.	100 ST		
Type	KWPN-M12/-50 90	Version	
Order No.	1497620000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118306675		
Qty.	100 ST		
Type	KWPN-M16/-50 90	Version	
Order No.	1497630000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118307115		
Qty.	100 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-25	Version	
Order No.	1498640000		cable lug, terminal end,25 mm²,25 mm²,None
GTIN (EAN)	4050118308013		
Qty.	100 ST		


ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-50	Version	
Order No.	1498660000		cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118307948		
Qty.	50 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M5/-25	Version	
Order No.	1494120000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303827		
Qty.	50 ST		
Type	KQN-M6/-25	Version	
Order No.	1494130000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303858		
Qty.	50 ST		
Type	KQN-M8/-25	Version	
Order No.	1494140000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303872		
Qty.	50 ST		
Type	KQN-M10/-25	Version	
Order No.	1494150000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303865		
Qty.	50 ST		
Type	KQN-M12/-25	Version	
Order No.	1494160000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303902		
Qty.	50 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KQN-M16/-25	Version	
Order No.	1493490000		cable lug, terminal end,25 mm²
GTIN (EAN)	4050118303148		
Qty.	50 ST		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M6/-50	Version	
Order No.	1493510000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303179		
Qty.	50 ST		
Type	KQN-M8/-50	Version	
Order No.	1493150000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118302868		
Qty.	50 ST		
Type	KQN-M10/-50	Version	
Order No.	1493160000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303049		
Qty.	50 ST		
Type	KQN-M12/-50	Version	
Order No.	1493170000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303216		
Qty.	50 ST		
Type	KQN-M16/-50	Version	
Order No.	1493180000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118302844		
Qty.	50 ST		
Type	KQN-M20/-50	Version	
Order No.	1493530000		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303513		
Qty.	50 ST		


ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-25	Version	
Order No.	1492800000	cable lug, terminal end,25 mm ² ,25 mm ²	
GTIN (EAN)	4050118302592		
Qty.	50 ST		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-50	Version	
Order No.	1492820000	cable lug, terminal end,50 mm ² ,50 mm ²	
GTIN (EAN)	4050118302769		
Qty.	50 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-25	Version	
Order No.	1492910000	cable lug, terminal end,25 mm ² ,25 mm ² ,None	
GTIN (EAN)	4050118302646		
Qty.	100 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-50	Version	
Order No.	1492930000	cable lug, terminal end,50 mm ² ,50 mm ² ,None	
GTIN (EAN)	4050118302684		
Qty.	100 ST		

25 mm²25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/25	Version	
Order No.	1493050000	cable lug, terminal end,25 mm ² ,25 mm ² ,None	
GTIN (EAN)	4050118302783		
Qty.	100 ST		

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/50	Version	
Order No.	1493070000	cable lug, terminal end,50 mm ² ,50 mm ² ,None	
GTIN (EAN)	4050118302691		
Qty.	100 ST		

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

25 mm²25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-25	Version
Order No.	1495830000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305562	
Qty.	100 ST	
Type	KRN-M6/-25	Version
Order No.	1496490000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305784	
Qty.	100 ST	
Type	KRN-M8/-25	Version
Order No.	1496500000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305975	
Qty.	100 ST	
Type	KRN-M10/-25	Version
Order No.	1496510000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305814	
Qty.	100 ST	
Type	KRN-M12/-25	Version
Order No.	1496520000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118306163	
Qty.	100 ST	
Type	KRN-M14/-25	Version
Order No.	1496530000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305883	
Qty.	100 ST	

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

ES EPG 45 WM 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

General ordering data

Type	KRN-M6/-50	Version
Order No.	1496590000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305746	
Qty.	100 ST	
Type	KRN-M8/-50	Version
Order No.	1496600000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306149	
Qty.	100 ST	
Type	KRN-M10/-50	Version
Order No.	1496610000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306064	
Qty.	100 ST	
Type	KRN-M12/-50	Version
Order No.	1496620000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305722	
Qty.	100 ST	
Type	KRN-M14/-50	Version
Order No.	1495750000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305197	
Qty.	100 ST	
Type	KRN-M16/-50	Version
Order No.	1496630000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306200	
Qty.	100 ST	
Type	KRN-M20/-50	Version
Order No.	1495840000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305364	
Qty.	100 ST	