


**ES EPG 45 HEX 25/50****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

**General ordering data**

Version	50mm <sup>2</sup> , Hexagonal crimp
Order No.	<a href="#">1500970000</a>
Type	ES EPG 45 HEX 25/50
GTIN (EAN)	4050118309195
Qty.	1 items

**ES EPG 45 HEX 25/50**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Dimensions and weights**

Depth	12 mm	Depth (inches)	0.4724 inch
Height	60 mm	Height (inches)	2.3622 inch
Width	30 mm	Width (inches)	1.1811 inch
Net weight	140 g		

**Environmental Product Compliance**

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

**Crimp inserts**

Identification number	10/14	Crimp cross-section aluminium	10/35
Crimp cross-section copper	25/50	Crimping width in mm	12/5

**Description of contact**

Conductor cross-section, max. AWG	1	Conductor cross-section, min. AWG	4
Crimping range, max.	50 mm <sup>2</sup>		

**tool data crimping**

Crimping type/profile	Hexagonal crimp		
Cable lug cross section	nominal	25 mm <sup>2</sup>	
	nominal	50 mm <sup>2</sup>	

**Classifications**

ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

**ES EPG 45 HEX 25/50**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**Tools**




Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

**General ordering data**

Type	EPG 45	Version
Order No.	<a href="#">1500830000</a>	Pressing tool, 6mm <sup>2</sup> , 150mm <sup>2</sup> , Hexagonal crimp, WM crimp, Indent
GTIN (EAN)	4050118309317	crimp, Trapezoidal crimp, Oval crimping
Qty.	1 ST	

**25 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	KRN-M5/-25	Version
Order No.	<a href="#">1495830000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305562	
Qty.	100 ST	
Type	KRN-M6/-25	Version
Order No.	<a href="#">1496490000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305784	
Qty.	100 ST	
Type	KRN-M8/-25	Version
Order No.	<a href="#">1496500000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305975	
Qty.	100 ST	
Type	KRN-M10/-25	Version
Order No.	<a href="#">1496510000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305814	
Qty.	100 ST	

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KRN-M12/-25	Version
Order No.	<a href="#">1496520000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118306163	
Qty.	100 ST	
Type	KRN-M14/-25	Version
Order No.	<a href="#">1496530000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305883	
Qty.	100 ST	

## 50 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KRN-M6/-50	Version
Order No.	<a href="#">1496590000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305746	
Qty.	100 ST	
Type	KRN-M8/-50	Version
Order No.	<a href="#">1496600000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118306149	
Qty.	100 ST	
Type	KRN-M10/-50	Version
Order No.	<a href="#">1496610000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118306064	
Qty.	100 ST	
Type	KRN-M12/-50	Version
Order No.	<a href="#">1496620000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305722	
Qty.	100 ST	
Type	KRN-M14/-50	Version
Order No.	<a href="#">1495750000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305197	
Qty.	100 ST	
Type	KRN-M16/-50	Version
Order No.	<a href="#">1496630000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118306200	
Qty.	100 ST	
Type	KRN-M20/-50	Version
Order No.	<a href="#">1495840000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305364	
Qty.	100 ST	

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KRN-M6/-50 S	Version
Order No.	<a href="#">1494820000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118304114	
Qty.	25 ST	
Type	KRN-M8/-50 S	Version
Order No.	<a href="#">1494830000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118304404	
Qty.	25 ST	
Type	KRN-M10/-50 S	Version
Order No.	<a href="#">1494840000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118304619	
Qty.	25 ST	

## 25 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-25 90	Version
Order No.	<a href="#">1495850000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305456	
Qty.	100 ST	
Type	KWN-M8/-25 90	Version
Order No.	<a href="#">1495870000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305470	
Qty.	100 ST	
Type	KWN-M10/-25 90	Version
Order No.	<a href="#">1495880000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305449	
Qty.	100 ST	
Type	KWN-M12/-25 90	Version
Order No.	<a href="#">1495890000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305647	
Qty.	100 ST	
Type	KWN-M14/-25 90	Version
Order No.	<a href="#">1495900000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305517	
Qty.	100 ST	

## ES EPG 45 HEX 25/50

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-50 90	Version	
Order No.	<a href="#">1495950000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305388		
Qty.	100 ST		
Type	KWN-M8/-50 90	Version	
Order No.	<a href="#">1495970000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305425		
Qty.	100 ST		
Type	KWN-M10/-50 90	Version	
Order No.	<a href="#">1495980000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305494		
Qty.	100 ST		
Type	KWN-M12/-50 90	Version	
Order No.	<a href="#">1495990000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305654		
Qty.	100 ST		
Type	KWN-M14/50 90	Version	
Order No.	<a href="#">1494650000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118304251		
Qty.	100 ST		
Type	KWN-M16/-50 90	Version	
Order No.	<a href="#">1496000000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305630		
Qty.	100 ST		
Type	KWN-M20/-50 90	Version	
Order No.	<a href="#">1494710000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118304442		
Qty.	100 ST		

25 mm<sup>2</sup>25 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## ES EPG 45 HEX 25/50


**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## General ordering data

Type	KWN-M6/-25 45	Version	
Order No.	<a href="#">1496180000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305876		
Qty.	100 ST		

240 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-25 45	Version	
Order No.	<a href="#">1496190000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118306231		
Qty.	100 ST		
Type	KWN-M10/-25 45	Version	
Order No.	<a href="#">1496200000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305593		
Qty.	100 ST		
Type	KWN-M12/-25 45	Version	
Order No.	<a href="#">1496210000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> - 25 mm <sup>2</sup>
GTIN (EAN)	4050118305715		
Qty.	100 ST		

50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M6/-50 45	Version	
Order No.	<a href="#">1496270000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305937		
Qty.	50 ST		
Type	KWN-M8/-50 45	Version	
Order No.	<a href="#">1496280000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118306101		
Qty.	50 ST		

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KWN-M10/-50 45	Version	
Order No.	<a href="#">1496290000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118305760		
Qty.	50 ST		
Type	KWN-M12/-50 45	Version	
Order No.	<a href="#">1496300000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> - 50 mm <sup>2</sup>
GTIN (EAN)	4050118306040		
Qty.	50 ST		

25 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-25	Version	
Order No.	<a href="#">1494730000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> ,None
GTIN (EAN)	4050118304275		
Qty.	50 ST		

50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-50	Version	
Order No.	<a href="#">1494750000</a>		cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> ,None
GTIN (EAN)	4050118304381		
Qty.	50 ST		

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

25 mm<sup>2</sup>

25 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M6/-25	Version	
Order No.	<a href="#">1497970000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307412		
Qty.	100 ST		
Type	KP-M8/-25	Version	
Order No.	<a href="#">1497980000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307528		
Qty.	100 ST		
Type	KP-M10/-25	Version	
Order No.	<a href="#">1497990000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307535		
Qty.	100 ST		
Type	KP-M12/-25	Version	
Order No.	<a href="#">1498000000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307504		
Qty.	100 ST		
Type	KP-M16/-25	Version	
Order No.	<a href="#">1498010000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307443		
Qty.	100 ST		

50 mm<sup>2</sup>

50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M6/-50	Version	
Order No.	<a href="#">1498510000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118308006		
Qty.	100 ST		

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KP-M8/-50	Version
Order No.	<a href="#">1498070000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307566	
Qty.	100 ST	
Type	KP-M10/-50	Version
Order No.	<a href="#">1498080000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307559	
Qty.	100 ST	
Type	KP-M12/-50	Version
Order No.	<a href="#">1498090000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307375	
Qty.	100 ST	
Type	KP-M14/-50	Version
Order No.	<a href="#">1498570000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118308105	
Qty.	100 ST	
Type	KP-M16/-50	Version
Order No.	<a href="#">1498110000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307474	
Qty.	100 ST	
Type	KP-M20/-50	Version
Order No.	<a href="#">1498120000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307597	
Qty.	100 ST	

## 25 mm<sup>2</sup>



# 25 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M6/-25 90	Version
Order No.	<a href="#">1497490000</a>	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306668	
Qty.	100 ST	
Type	KWPN-M8/-25 90	Version
Order No.	<a href="#">1497510000</a>	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306972	
Qty.	100 ST	
Type	KWPN-M10/-25 90	Version
Order No.	<a href="#">1497520000</a>	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306989	
Qty.	100 ST	

**ES EPG 45 HEX 25/50**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

Type	KWPN-M12/-25 90	Version	
Order No.	<a href="#">1497530000</a>		cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307108		
Qty.	100 ST		

**50 mm²**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	KWPN-M8/-50 90	Version	
Order No.	<a href="#">1497590000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118306699		
Qty.	100 ST		
Type	KWPN-M10/-50 90	Version	
Order No.	<a href="#">1497610000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118307078		
Qty.	100 ST		
Type	KWPN-M12/-50 90	Version	
Order No.	<a href="#">1497620000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118306675		
Qty.	100 ST		
Type	KWPN-M16/-50 90	Version	
Order No.	<a href="#">1497630000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118307115		
Qty.	100 ST		

**25 mm²**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-25	Version	
Order No.	<a href="#">1498640000</a>		cable lug, terminal end,25 mm²,25 mm²,None
GTIN (EAN)	4050118308013		
Qty.	100 ST		


**ES EPG 45 HEX 25/50**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**50 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-50	Version	
Order No.	<a href="#">1498660000</a>	Version	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> ,None
GTIN (EAN)	4050118307948		
Qty.	50 ST		

**25 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	KQN-M5/-25	Version	
Order No.	<a href="#">1494120000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118303827		
Qty.	50 ST		
Type	KQN-M6/-25	Version	
Order No.	<a href="#">1494130000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118303858		
Qty.	50 ST		
Type	KQN-M8/-25	Version	
Order No.	<a href="#">1494140000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118303872		
Qty.	50 ST		
Type	KQN-M10/-25	Version	
Order No.	<a href="#">1494150000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118303865		
Qty.	50 ST		
Type	KQN-M12/-25	Version	
Order No.	<a href="#">1494160000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118303902		
Qty.	50 ST		

## ES EPG 45 HEX 25/50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KQN-M16/-25	Version	
Order No.	<a href="#">1493490000</a>		cable lug, terminal end,25 mm²
GTIN (EAN)	4050118303148		
Qty.	50 ST		

### 50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KQN-M6/-50	Version	
Order No.	<a href="#">1493510000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303179		
Qty.	50 ST		
Type	KQN-M8/-50	Version	
Order No.	<a href="#">1493150000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118302868		
Qty.	50 ST		
Type	KQN-M10/-50	Version	
Order No.	<a href="#">1493160000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303049		
Qty.	50 ST		
Type	KQN-M12/-50	Version	
Order No.	<a href="#">1493170000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303216		
Qty.	50 ST		
Type	KQN-M16/-50	Version	
Order No.	<a href="#">1493180000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118302844		
Qty.	50 ST		
Type	KQN-M20/-50	Version	
Order No.	<a href="#">1493530000</a>		cable lug, terminal end,50 mm²
GTIN (EAN)	4050118303513		
Qty.	50 ST		


**ES EPG 45 HEX 25/50**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Accessories**

**25 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	KSN/-25	Version	
Order No.	<a href="#">149280000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup>	
GTIN (EAN)	4050118302592		
Qty.	50 ST		

**50 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	KSN/-50	Version	
Order No.	<a href="#">149282000</a>	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup>	
GTIN (EAN)	4050118302769		
Qty.	50 ST		

**25 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPLN/-25	Version	
Order No.	<a href="#">149291000</a>	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> ,None	
GTIN (EAN)	4050118302646		
Qty.	100 ST		

## ES EPG 45 HEX 25/50

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPLN/-50	Version	
Order No.	<a href="#">1492930000</a>	Version	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> ,None
GTIN (EAN)	4050118302684		
Qty.	100 ST		

25 mm<sup>2</sup>25 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/25	Version	
Order No.	<a href="#">1493050000</a>	Version	cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> ,None
GTIN (EAN)	4050118302783		
Qty.	100 ST		

50 mm<sup>2</sup>50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/50	Version	
Order No.	<a href="#">1493070000</a>	Version	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> ,None
GTIN (EAN)	4050118302691		
Qty.	100 ST		