

WQB WPD X06/2

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

General ordering data

Version	Cross-connector (terminal), Plugged, grey, 215 A, Number of poles: 2, Pitch in mm (P): 39.50, Insulated: Yes, Width: 7 mm
Order No.	1561940000
Type	WQB WPD X06/2
GTIN (EAN)	4050118367126
Qty.	3 items

Technical data

Approvals

ROHS Conform

Dimensions and weights

Width 7 mm Width (inches) 0.2756 inch
 Net weight 5.5 g

Temperatures

Storage temperature -25 °C...55 °C Ambient temperature -5 °C...40 °C

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption
 REACH SVHC No SVHC above 0.1 wt%

Material data

Colour grey

System specifications

Version Cross-connector

Additional technical data

Type of fixing Plugged Explosion-tested version No

Dimensions

Pitch in mm (P) 39.50 mm

General

Number of poles 2

Rating data

Rated voltage 400 V Nominal current 215 A

Classifications

ETIM 8.0	EC000489	ETIM 9.0	EC000489
ETIM 10.0	EC000489	ECLASS 14.0	27-25-03-03
ECLASS 15.0	27-25-03-03		