


**WQB WPD X05/2****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Product image**

The distribution or multiplication of a potential to adjoining terminal blocks is realized via a cross-connection. Additional wiring effort can be easily avoided. Even if the poles are broken out, contact reliability in the terminal blocks is still ensured. Our portfolio offers pluggable and screwable cross-connection systems for modular terminal blocks.

**General ordering data**

Version	Cross-connector (terminal), Plugged, grey, 135 A, Number of poles: 2, Pitch in mm (P): 35.60, Insulated: Yes, Width: 52.8 mm
Order No.	<a href="#">1561960000</a>
Type	WQB WPD X05/2
GTIN (EAN)	4050118367140
Qty.	20 items

**Technical data**

**Approvals**

ROHS Conform

**Dimensions and weights**

Depth	19.6 mm	Depth (inches)	0.7717 inch
Height	14 mm	Height (inches)	0.5512 inch
Width	52.8 mm	Width (inches)	2.0787 inch
Net weight	14 g		

**Temperatures**

Storage temperature -25 °C...55 °C Ambient temperature -5 °C...40 °C

**Environmental Product Compliance**

RoHS Compliance Status Compliant without exemption  
 REACH SVHC No SVHC above 0.1 wt%

**Material data**

Basic material Wemid Colour grey

**System specifications**

Version Cross-connector

**Additional technical data**

Type of fixing Plugged Explosion-tested version No  
 Type of mounting Plugged

**Dimensions**

Pitch in mm (P) 35.60 mm

**General**

Number of poles 2

**Rating data**

Nominal current 135 A

**Classifications**

ETIM 8.0	EC000489	ETIM 9.0	EC000489
ETIM 10.0	EC000489	ECLASS 14.0	27-25-03-03
ECLASS 15.0	27-25-03-03		