KSW 4.0 EL WS 50M

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

KSW marking strips are used to identify multi-pole PCB plug-in connectors. Users can print them individually without being confined to a certain pitch.

• Smudge-proof labelling

• Strips 2.5 mm and 4 mm wide

• Simply stick on - finished

• Optimum adhesion

• PVC-free

General ordering data

Version	KSW, Terminal marker, 4 x , Pitch in mm (P): 4.00 Weidmueller, white
Order No.	1812670000
Type	KSW 4.0 EL WS 50M
GTIN (EAN)	4032248296071
Qty.	50 M

Technical data

Approvals

ROHS	Conform

Dimensions and weights

Height	4 mm	Height (inches)	0.1575 inch
Length	50000 mm	Length (inches)	1968.5 inch
Net weight	18.3 g		

Temperatures

Operating temperature range	-40...150 °C

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

General data

Adhesive	Acrylate	Material colour according to resistance code	9
Orientation of print	horizontal and vertical	Number per sheet	20
Type of printing	neutral	Version	Self-adhesive
Operating temperature range, max.	150 °C	Operating temperature range, min.	-40 °C
Colour	white	Halogen	No
Length	50000 mm	Basic material	Polyester, PVC-free
Printed characters	without	compatible printer	
Operating temperature range	-40...150 °C	Application/manufacturer	Weidmueller
Imprint	Neutral		

Device markers

Halogen	No

Classifications

ETIM 8.0	EC000761	ETIM 9.0	EC000761
ETIM 10.0	EC000761	ECLASS 14.0	27-28-11-01
ECLASS 15.0	27-28-11-01		

KSW 4.0 EL WS 50M

Drawings