


**ZAP/TW ZT4/2AN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Partition plates and end plates are essential accessories for terminal blocks. Partition plates provide optical and electrical separation of different potentials and functional groups, increasing safety and ensuring a clear structure inside the control cabinet. End plates close the terminal block row on the sides, protect against contact with live parts, and ensure a clean, stable finish. Both components are precisely matched to the respective Weidmüller terminal block series, contributing to safe, compliant, and professional wiring.

**General ordering data**

|            |                                      |
|------------|--------------------------------------|
| Version    | Z-series, End plate, Partition plate |
| Order No.  | <a href="#">1855220000</a>           |
| Type       | ZAP/TW ZT4/2AN                       |
| GTIN (EAN) | 4032248396528                        |
| Qty.       | 50 items                             |

## ZAP/TW ZT4/2AN

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Technical data

### Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Dimensions and weights

|            |          |                 |             |
|------------|----------|-----------------|-------------|
| Depth      | 34.65 mm | Depth (inches)  | 1.3642 inch |
| Height     | 57.55 mm | Height (inches) | 2.2657 inch |
| Width      | 3.25 mm  | Width (inches)  | 0.128 inch  |
| Net weight | 3.78 g   |                 |             |

### Temperatures

|                                  |                |                                  |                |
|----------------------------------|----------------|----------------------------------|----------------|
| Storage temperature              | -25 °C...55 °C | Ambient temperature              | -50 °C...75 °C |
| Continuous operating temp., min. | -50 °C         | Continuous operating temp., max. | 120 °C         |

### Environmental Product Compliance

|                          |                             |                              |  |
|--------------------------|-----------------------------|------------------------------|--|
| RoHS Compliance Status   | Compliant without exemption |                              |  |
| REACH SVHC               | No SVHC above 0.1 wt%       |                              |  |
| Product Carbon Footprint | Cradle to gate              | 0.034 kg CO <sub>2</sub> eq. |  |

### Material data

|                           |       |        |            |
|---------------------------|-------|--------|------------|
| Basic material            | Wemid | Colour | dark beige |
| UL 94 flammability rating | V-0   |        |            |

### System specifications

|         |                            |
|---------|----------------------------|
| Version | End and intermediate plate |
|---------|----------------------------|

### Additional technical data

|         |    |
|---------|----|
| Snap-on | No |
|---------|----|

### Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 8.0    | EC000886    | ETIM 9.0    | EC000886    |
| ETIM 10.0   | EC000886    | ECLASS 14.0 | 27-25-03-01 |
| ECLASS 15.0 | 27-25-03-01 |             |             |