



### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Product image**







Similar to illustration

Steel DIN rails are the most widespread on the market. Among metal DIN rails, they have the lowest shortcircuit protection, similar to stainless steel.

# **General ordering data**

Terminal rail, Accessories, Steel, galvanic zinc plated and passivated, Width: 2000 mm, Height: 35 mm, Depth: 15 mm
<u>1879100000</u>
TS 35X15/5X18 2M/ST/SZ
4032248473793
20 M





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

ROHS	Conform		
110110	Comoni		
Dimensions and weights			
Depth	15 mm	Depth (inches)	0.5906 inch
Height	35 mm	Height (inches)	1.378 inch
Width	2000 mm	Width (inches)	78.74 inch
Net weight	537.78 g		
Temperatures			
Ambient temperature	-5 °C40 °C		
Environmental Product Compl	iance		
Livironinientai i rodaet Compi	idiloc		
RoHS Compliance Status	Compliant without exempt	on	
REACH SVHC	No SVHC above 0.1 wt%	011	
112, 1617 64716	THE STITE GEORGE S. I WE'/S		
	_		
Installation advice	Direct mounting		
	Direct mounting In accordance with DIN EN	60715	
Standards	In accordance with DIN EN		
Standards Surface finish			
Standards Surface finish Basic material	In accordance with DIN EN galvanic zinc plated and pa		
Standards Surface finish Basic material	In accordance with DIN EN galvanic zinc plated and pa Steel	ssivated	mm
Standards Surface finish Basic material	In accordance with DIN EN galvanic zinc plated and pa Steel min.	ssivated 0 mm	
Installation advice Standards Surface finish Basic material Length of the terminal rail Slit length	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail Slit length	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail Slit length Slit gap Short-time withstand current per second	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail  Slit length Slit gap Short-time withstand current per secondaccording to IEC 60947-7-2	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail  Slit length Slit gap Short-time withstand current per second according to IEC 60947-7-2 Slit width	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail  Slit length Slit gap Short-time withstand current per second according to IEC 60947-7-2 Slit width Pre-punched mounting rail Slit width	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm 16 kA 5.20 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail  Slit length Slit gap Short-time withstand current per second according to IEC 60947-7-2 Slit width Pre-punched mounting rail Slit width Short circuit strength corresponds to E-	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm 16 kA 5.20 mm	ssivated 0 mm 2000 i	
Standards Surface finish Basic material Length of the terminal rail	In accordance with DIN EN galvanic zinc plated and pa Steel min. nominal max. 18.00 mm 7.00 mm 16 kA 5.20 mm	ssivated 0 mm 2000 i	

# Important note

Product information Din rails with Sendzir	nier treatment have limited corrosion resistance on the outer and cut edges
--	---

# Classifications

ETIM 6.0	EC001285	ETIM 7.0	EC001285
ETIM 8.0	EC001285	ETIM 9.0	EC001285
ETIM 10.0	EC001285	ECLASS 9.0	27-40-06-02
ECLASS 9.1	27-40-06-02	ECLASS 10.0	27-40-06-02
ECLASS 11.0	27-40-06-02	ECLASS 12.0	27-40-06-02
ECLASS 13.0	27-40-06-02	ECLASS 14.0	27-40-06-02
ECLASS 15.0	27-40-06-02		

Creation date 27.11.2025 07:59:09 MEZ




Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Drawings**

# **Product image**





Similar to illustration





### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# Accessories

### **End bracket**









Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

#### General ordering data

	<u>-</u>	
Туре	WEW 35/1	Version
Order No.	1059000000	End bracket, dark beige, TS 35, V-2, Wemid, Width: 12 mm, 100 °C
GTIN (EAN)	4008190172282	
Qty.	50 ST	
Туре	WEW 35/2	Version
Order No.	1061200000	End bracket, dark beige, TS 35, HB, Wemid, Width: 8 mm, 100 °C
GTIN (EAN)	4008190030230	
Qty.	50 ST	
Туре	ZEW 35	Version
Order No.	9540000000	End bracket, dark beige, TS 35, V-2, Wemid, Width: 6 mm, 100 °C
GTIN (EAN)	4008190956264	
Qty.	20 ST	
Туре	ZEW 35/2	Version
Order No.	8630740000	End bracket, dark beige, TS 35, V-2, Wemid, Width: 8 mm, 100 °C
GTIN (EAN)	4032248348916	
Qty.	20 ST	
Туре	EW 35	Version
Order No.	0383560000	End bracket, beige, TS 35, V-2, Wemid, Width: 8.5 mm, 100 °C
GTIN (EAN)	4008190181314	
Qty.	50 ST	
Туре	EW 35 GR 7032	Version
Order No.	0383530000	End bracket, grey, TS 35, V-0, Wemid, Width: 9 mm, 120 °C
GTIN (EAN)	4008190027322	
Qty.	50 ST	
Туре	EW 35/SCHA/M3	Version
Order No.	0258660000	End bracket, beige, TS 35, V-2, Wemid, Width: 16.5 mm, 100 °C
GTIN (EAN)	4008190033477	
Qty.	20 ST	
Type Order No. GTIN (EAN)	EW 35/SCHA/M3 0258660000 4008190033477	

### **Mounting rail support**







## Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

General	ordering data	
Туре	TST 2/M5	Version
Order No.	1286600000	Mounting foot for mounting rail, silver, Steel, M 5, Width: 18 mm
GTIN (EAN)	4008190144777	
Qty.	10 ST	
Туре	TST 2/M6	Version
Order No.	0101700000	Mounting foot for mounting rail, silver, Steel, M 6, Width: 18 mm
GTIN (EAN)	4008190069254	
Qty.	10 ST	
Туре	TSTW 5/M5	Version
Order No.	0178100000	Mounting foot for mounting rail, silver, Steel, M 5, Width: 18 mm
GTIN (EAN)	4008190059651	
Qty.	10 ST	
Туре	TSTW 5/M5 ZN	Version
Order No.	<u>1779100000</u>	Mounting foot for mounting rail, silver, Steel, M 5, Width: 18 mm
GTIN (EAN)	4032248169894	
Qty.	10 ST	
Туре	TSTW 6/M6	Version
Order No.	0164000000	Mounting foot for mounting rail, silver, Steel, M 6, Width: 18 mm
GTIN (EAN)	4008190095345	
Qty.	10 ST	
Туре	TSTW D 4.3	Version
Order No.	<u>1610110000</u>	Mounting foot for mounting rail, silver, Steel, without, Width: 18 mm
GTIN (EAN)	4008190185305	
Qty.	10 ST	

### **Mounting support**



We offer a broad portfolio of mounting support for easy handling and supplementation of our products. From various tools to insulating sleeves and various screws, our components are matched to each other down to the last detail and thus facilitate assembly in compliance with the respective standards and protective regulations.

### **General ordering data**

Туре	FKSC M4X6 D8/SW2	Version
Order No.	<u>1567480000</u>	SAK Series, Allen hex screw, Screws, Number of poles: 1
GTIN (EAN)	4008190033491	
Qty.	100 ST	
Туре	FKSC M5X8 D9/SW2.5	Version
Type Order No.	FKSC M5X8 D9/SW2.5 0295900000	Version SAK Series, Allen hex screw, Screws, Number of poles: 1
	· ·	

Creation date 27.11.2025 07:59:09 MEZ



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

#### **Installation material**



Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

Mounting hardware kits

Mounting hardware kits are available for quick and easy installation of type label holders, document holders and rain hoods.

The label fastening set – SD is required to install a plastic (Trafolyte) ID or type label. With the aid of this set can you mount the ID or type label directly on the enclosure cover. The label fastening set has been specially developed for this purpose. Only by using this fastening set can you ensure that there will be no leaks into the enclosure or damage to the label.

The universal fastening set – TPSD has been developed to enable secure and quick installation of type label holders, rain covers or document holders, for example. By using this fastening set, the risk of leaks can be minimised, if not avoided.

# **General ordering data**

Type FKSC M6X8 D9/SW3
Order No. 0642600000
GTIN (EAN) 4008190058258
Qty. 50 ST

Version

Klippon TB (Terminal Box), Mounting screw, Basic material: Steel

# **Mounting support**



We offer a broad portfolio of mounting support for easy handling and supplementation of our products. From various tools to insulating sleeves and various screws, our components are matched to each other down to the last detail and thus facilitate assembly in compliance with the respective standards and protective regulations.

#### **General ordering data**

50 ST

 Type
 FKSC M6X12 D9/SW3
 Version

 Order No.
 0353500000
 SAK Series, Allen hex screw, Screws, Number of poles: 1

 GTIN (EAN)
 4008190139285

Creation date 27.11.2025 07:59:09 MEZ



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

### **Mounting rail support**



#### General ordering data

Type SH 2
Order No. 0494920000
GTIN (EAN) 4008190007584
Oty. 10 ST

Version

Busbar support, medium yellow, 130 °C, Width: 40 mm, V-0, KrG,

when screwed in

#### **Mounting support**



We offer a broad portfolio of mounting support for easy handling and supplementation of our products. From various tools to insulating sleeves and various screws, our components are matched to each other down to the last detail and thus facilitate assembly in compliance with the respective standards and protective regulations.

## **General ordering data**

Type MOFU 35/LO/1
Order No. 0646260000
GTIN (EAN) 4008190178574
Oty. 20 ST

Version

Mounting foot (terminal)

# Accessories



The comprehensive accessories of the Klippon® Connect portfolio are perfectly matched down to the last detail. This facilitates mounting while adhering to required norms

## **General ordering data**

Type FM 4/TS35
Order No. 0687900000

versio

14 mm

Mounting foot on mounting rail, silver, Steel, bright finish, M 4, Width:

GTIN (EAN) 4008190086459

Qty. 40 ST

Creation date 27.11.2025 07:59:09 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

Туре	WSH 1	Version
Order No.	1068700000	Accessories, Rail support, PA 66 GF 30
GTIN (EAN)	4008190118389	
Qty.	10 ST	
Туре	WSH 3/H/N	Version
Order No.	<u>1715970000</u>	Accessories, Rail support, Wemid
GTIN (EAN)	4008190353100	
Qty.	10 ST	
Туре	WSH 5	Version
Type Order No.	WSH 5 1080100000	Version Accessories, Rail support, Wemid
• •		
Order No.	1080100000	
Order No. GTIN (EAN)	1080100000 4008190965143	
Order No. GTIN (EAN) Qty.	1080100000 4008190965143 10 ST	Accessories, Rail support, Wemid
Order No. GTIN (EAN) Oty. Type	1080100000 4008190965143 10 ST WSH 6	Accessories, Rail support, Wemid  Version

### **End caps**



End caps for the mounting rails provide protection against sharp edges and visually close off the end of the mounting rail.

# **General ordering data**

Туре	TS END CAP 35X15	Version
Order No.	1283480000	Terminal cover, dark beige, Polypropylene, Height: 37.5 mm, Width: 7
GTIN (EAN)	4050118077995	mm, Depth: 16.5 mm, HB
Qty.	100 ST	

Creation date 27.11.2025 07:59:09 MEZ