

SCREWTY- M8

Weidmüller Interface GmbH & Co. KG
Klingenbergsstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

**The ideal tool for any application**

Screwty® is the ideal, all-purpose tool for tightening all common sensor and actuator cables. Even difficult-to-reach round plugs are accessible using the Screwty®. A simple turning movement tightens and loosens the connectors without the need for excessive force. The Screwty® is a unique and global solution since it fits with most cables and plugs from other vendors (over 90 %). The Screwty® consists of a handle with a conventional 1/4" adapter. Thus it can be used for all sizes: for M12 and M8 round plug-in connectors, and for M12F and M8F customisable plugs and sockets, as well as for all M23 plugs and sockets.

General ordering data

| | |
|------------|--|
| Version | Cable gland tool for moulded M8 cables |
| Order No. | 1900010000 |
| Type | SCREWTY- M8 |
| GTIN (EAN) | 4032248375844 |
| Qty. | 1 items |
| Packaging | Cardboard box |

SCREWTY- M8

Weidmüller Interface GmbH & Co. KG
Klingenbergsstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|---------|-----------------|-------------|
| Width | 27.4 mm | Width (inches) | 1.0787 inch |
| Length | 220 mm | Length (inches) | 8.6614 inch |
| Net weight | 167 g | | |

Environmental Product Compliance

| | |
|------------------------|-----------------------|
| RoHS Compliance Status | Not affected |
| REACH SVHC | No SVHC above 0.1 wt% |

Technical data

| | |
|------------------------|---|
| Description of article | Cable gland tool for SAI distributor, size M8 |
|------------------------|---|

Important note

| | |
|---------------------|--|
| Product information | Included in delivery: • Standard handle 1/4 inch • Attachment M8 for moulded lines |
|---------------------|--|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 8.0 | EC000149 | ETIM 9.0 | EC000149 |
| ETIM 10.0 | EC000149 | ECLASS 14.0 | 21-01-90-90 |
| ECLASS 15.0 | 21-01-90-90 | | |