

EASYCRIMP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

General ordering data

Order No.	2000360000
Type	EASYCRIMP
GTIN (EAN)	4050118394528
Qty.	1 items

EASYCRIMP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Depth	125 mm	Depth (inches)	4.9212 inch
Height	255 mm	Height (inches)	10.0394 inch
Width	230 mm	Width (inches)	9.0551 inch
Net weight	5000 g		

Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1

Technical data

Version	Mechanical, with interchangeable inserts
---------	------------------------------------------

tool data crimping

Drive	mechanical	Fixing min.	35 mm
Grip height, max.	22 mm	Lever travel max.	230 mm
Grip width max.	28 mm	Lever travel min.	140 mm
Fixing max.	68 mm	Grip height, min.	12 mm

Classifications

ETIM 8.0	EC000168	ETIM 9.0	EC000168
ETIM 10.0	EC000168	ECLASS 14.0	21-04-38-11
ECLASS 15.0	21-04-38-11		

