

PAC-S1500-SL24-AY0-1M**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



With increasing plant complexity, the obsolescence of certain PLCs and the relentless growth in demand for I / O signals, many installations or plants are having to replace existing controllers with new ones, without modifying existing field cabling. With the aid of adapters, pre-assembled cables and interfaces from Weidmüller the problem of replacing one PLC system with another can be solved easily and safely: users can maintain the existing field cabling, test the new system and keep installation downtimes to a minimum.

General ordering data

| | |
|------------|---------------------------------------|
| Order No. | 2004540010 |
| Type | PAC-S1500-SL24-AY0-1M |
| GTIN (EAN) | 4032248318872 |
| Qty. | 1 items |

PAC-S1500-SL24-AY0-1M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Dimensions and weights

| | |
|------------|-------|
| Net weight | 311 g |
|------------|-------|

Temperatures

| | |
|-----------------------|--|
| Operating temperature | |
|-----------------------|--|

Environmental Product Compliance

| | |
|--------------------------------------|--------------------------------------|
| RoHS Compliance Status | Compliant with exemption |
| RoHS Exemption (if applicable/known) | 6c |
| REACH SVHC | Lead 7439-92-1 |
| SCIP | 4bbf2c0d-0764-4fc8-bb24-9351c28c190d |

General Data

| | | | |
|-----------------------|------------------------|---------------------|--|
| Cable length | 1 m | Basic material | PVC |
| Cable | Unshielded single-core | Interface connector | 2 x BLC 5.08/12/180R |
| Number of poles, min. | 20-pole | Connector PLC side | 2X SIEMENS S71500 6ES7592-1AM00-0XB0 40P |
| Wire cross-section | 0.50 mm ² | | |

Electrical Data

| | |
|---------------|---------------------|
| Rated voltage | ≤ 250 Vdc ≤ 250 Vac |
|---------------|---------------------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 8.0 | EC000237 | ETIM 9.0 | EC000237 |
| ETIM 10.0 | EC000237 | ECLASS 14.0 | 27-24-22-20 |
| ECLASS 15.0 | 27-24-22-20 | | |