

CRIMPFIX E**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

Version	Automatic stripper and crimper, 0.5mm ² , 2.5mm ²
Order No.	2439140000
Type	CRIMPFIX E
GTIN (EAN)	4050118451917
Qty.	1 items
Delivery status	This article will no longer be available in the future.
Available until	2025-01-06T00:00:00+01:00
Alternative product	CRIMPFIX ECO

CRIMPFIX E

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Approvals

Approvals



ROHS Conform

Dimensions and weights

Depth	349 mm	Depth (inches)	13.7401 inch
Height	230 mm	Height (inches)	9.0551 inch
Width	288 mm	Width (inches)	11.3386 inch
Net weight	14000 g		

Environmental Product Compliance

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	6c, 7a, 7cl
REACH SVHC	Lead 7439-92-1
SCIP	d2df479e-2b79-4e98-adc7-b03577df98ae

PW65 maintenance - automatic stripping/crimping

Stripping range	0.5 - 2.5 mm ² (~AWG 20-14)	Drive	Electro-mechanical
Pulse time	approx. 1.8 sec	Crimping	Trapezoidal
Wire end ferrules cross-section, max.	2.5 mm ²	Wire end ferrules cross-section, min.	0.5 mm ²
Crimping range, max.	2.5 mm ²	Crimping range, min.	0.5 mm ²
Crimping length	8 mm	Consumables	Linked wire-end ferrules, with plastic collar
Length of wire-end ferrule	14 mm	Electrical connection	100-240 V / 50/60 Hz / 100 VA

Classifications

ETIM 8.0	EC002778	ETIM 9.0	EC002778
ETIM 10.0	EC002778	ECLASS 14.0	17-13-01-01
ECLASS 15.0	17-13-01-01		

CRIMPFIX E

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

Accessories

www.weidmueller.com

Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

Type	AIMESA CF U/LS TIN	Version	
Order No.	1132150000	Automatic machines, Replacement part	
GTIN (EAN)	4032248920082		
Qty.	1 ST		
Type	HAKL/TPKL CF ECO	Version	
Order No.	9205810000	Accessories, Replacement part	
GTIN (EAN)	4032248814008		
Qty.	1 ST		