



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



Inspired by 5S and lean management methods, Weidmüller foam inserts ensure an efficient and tidy workplace. Designed according to a modular principle, they offer many advantages and can be selected according to individual requirements.

General ordering data

Order No.	2683740000
Туре	TC INL THIRD 1
GTIN (EAN)	4050118701890
Qty.	1 items





Weidmüller Interface GmbH & Co. KG

2

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights	Dim	ensions	and	weights
------------------------	-----	---------	-----	---------

Depth	50 mm	Depth (inches)	1.9685 inch
Height	446 mm	Height (inches)	17.559 inch
Width	200 mm	Width (inches)	7.874 inch
Net weight	384.4 g		

Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	1eacbb3e-7931-4ebb-9179-f29fd9b50028

Technical data

Description of article	f article Foam inlay 16 mm ² + CST

Tool chest

Assembly	with tools	

Classifications

ETIM 6.0	EC011819	ETIM 7.0	EC011819
ETIM 8.0	EC011819	ETIM 9.0	EC011819
ETIM 10.0	EC011819	ECLASS 9.1	21-07-92-03
ECLASS 10.0	21-07-92-03	ECLASS 11.0	21-07-04-12
ECLASS 12.0	21-07-04-12	ECLASS 13.0	21-07-04-12
ECLASS 14.0	21-07-04-12	ECLASS 15.0	21-07-04-12

Catalogue status / Drawings



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Tools



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- · No fanning-out of individual conductors
- · Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- · No play in self-adjusting cutting unit
- Long service life
- · Optimised ergonomic design

General ordering data

Type STRIPAX 16
Order No. 9005610000
GTIN (EAN) 4008190183875
Qty. 1 ST

Version

Tools, Stripping and cutting tool

Crimping tools



Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

 Type
 PZ 16
 Version

 Order No.
 9012600000
 Pressing tool, Crimping tool for wire-end ferrules, 6mm², 16mm²,

 GTIN (EAN)
 4008190035440
 Indent crimp

 Qty.
 1 ST

Tools



- For coaxial cable and round (shielded) data cables from 2.5 to 8mm diameter
- 1-, 2- and 3-level stripping in one operation



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

General ordering data

Type CST
Order No. 9030500000
GTIN (EAN) 4008190062293
Oty. 1 ST

Version
Tools, Sheathing strippers

Cutting tools



Cutting tools for conductors up to 8 mm, 12 mm, 14 mm and 22 mm outside diameter. The special blade geometry allows pinch-free cutting of copper and aluminium conductors with minimum physical effort. The cutting tools (KT 8 to KT 22) also come with VDE and GS-tested protective insulation up to 1,000 V in accordance with EN/IEC 60900.

General ordering data

1 ST

Qty.

 Type
 KT 8
 Version

 Order No.
 9002650000
 Cutting tools, Cutting tool for one-hand operation

 GTIN (EAN)
 4008190020163

Accessories / replacement parts



- For coaxial cable and round (shielded) data cables from 2.5 to 8mm diameter
- 1-, 2- and 3-level stripping in one operation

General ordering data

Туре	MEKA BR CST	Version
Order No.	9032010000	Accessories, Cutter cassette
GTIN (EAN)	4008190135928	
Qty.	1 ST	
Туре	MEKA RT CST	Version
Order No.	9032040000	Accessories, Cutter cassette
GTIN (EAN)	4008190004644	
Qty.	1 ST	
Туре	MEKA BL CST	Version
Order No.	9032020000	Accessories, Cutter cassette
GTIN (EAN)	4008190153236	
Qty.	1 ST	

Creation date 27.11.2025 02:47:44 MEZ

Catalogue status / Drawings 4