

**TC INL THIRD 1****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Inspired by 5S and lean management methods, Weidmüller foam inserts ensure an efficient and tidy workplace. Designed according to a modular principle, they offer many advantages and can be selected according to individual requirements.

**General ordering data**

Order No.	2683740000
Type	<a href="#">TC INL THIRD 1</a>
GTIN (EAN)	4050118701890
Qty.	1 items

## TC INL THIRD 1

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	50 mm	Depth (inches)	1.9685 inch
Height	446 mm	Height (inches)	17.559 inch
Width	200 mm	Width (inches)	7.874 inch
Net weight	384.4 g		

## Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	1eacbb3e-7931-4ebb-9179-f29fd9b50028

## Technical data

Description of article	Foam inlay 16 mm <sup>2</sup> + CST
------------------------	-------------------------------------

## Tool chest

Assembly	with tools
----------	------------

## Classifications

ETIM 8.0	EC011819	ETIM 9.0	EC011819
ETIM 10.0	EC011819	ECLASS 14.0	21-07-04-12
ECLASS 15.0	21-07-04-12		

## Accessories

### Tools



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No fanning-out of individual conductors
- Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- No play in self-adjusting cutting unit
- Long service life
- Optimised ergonomic design

#### General ordering data

Type	STRIPAX 16	Version	
Order No.	<a href="#">9005610000</a>	Tools, Stripping and cutting tool	
GTIN (EAN)	4008190183875		
Qty.	1 ST		

### Crimping tools



Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

#### General ordering data

Type	PZ 16	Version	
Order No.	<a href="#">9012600000</a>	Pressing tool, Crimping tool for wire-end ferrules, 6mm <sup>2</sup> , 16mm <sup>2</sup> ,	
GTIN (EAN)	4008190035440	Indent crimp	
Qty.	1 ST		

### Tools



- For coaxial cable and round (shielded) data cables from 2.5 to 8mm diameter
- 1-, 2- and 3-level stripping in one operation

## TC INL THIRD 1

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany


www.weidmueller.com

## Accessories

## General ordering data

Type	CST	Version
Order No.	<a href="#">9030500000</a>	Tools, Sheathing strippers
GTIN (EAN)	4008190062293	
Qty.	1 ST	

## Cutting tools




Cutting tools for conductors up to 8 mm, 12 mm, 14 mm and 22 mm outside diameter. The special blade geometry allows pinch-free cutting of copper and aluminium conductors with minimum physical effort. The cutting tools (KT 8 to KT 22) also come with VDE and GS-tested protective insulation up to 1,000 V in accordance with EN/IEC 60900.

## General ordering data

Type	KT 8	Version
Order No.	<a href="#">9002650000</a>	Cutting tools, Cutting tool for one-hand operation
GTIN (EAN)	4008190020163	
Qty.	1 ST	

## Accessories / replacement parts



- For coaxial cable and round (shielded) data cables from 2.5 to 8mm diameter
- 1-, 2- and 3-level stripping in one operation

## General ordering data

Type	MEKA BR CST	Version
Order No.	<a href="#">9032010000</a>	Accessories, Cutter cassette
GTIN (EAN)	4008190135928	
Qty.	1 ST	
Type	MEKA RT CST	Version
Order No.	<a href="#">9032040000</a>	Accessories, Cutter cassette
GTIN (EAN)	4008190004644	
Qty.	1 ST	
Type	MEKA BL CST	Version
Order No.	<a href="#">9032020000</a>	Accessories, Cutter cassette
GTIN (EAN)	4008190153236	
Qty.	1 ST	