

**HDC MEMC ADP****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



In addition to heavy-duty connectors, RockStar® includes the appropriate accessories for effective, functional and safe system cabling; e.g. coding systems, shield clamps, cover plates and replacement seals

**General ordering data**

Version	Shield bus
Order No.	<a href="#">2748740000</a>
Type	HDC MEMC ADP
GTIN (EAN)	4050118890624
Qty.	1 items

**HDC MEMC ADP**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Approvals**

ROHS	Conform
------	---------

**Dimensions and weights**

Depth	28.9 mm	Depth (inches)	1.1378 inch
Height	23.5 mm	Height (inches)	0.9252 inch
Width	4.5 mm	Width (inches)	0.1772 inch
Net weight	17.6 g		

**Environmental Product Compliance**

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

**General data**

Version	For a shield connection	Basic material	Diecast zinc
---------	-------------------------	----------------	--------------

**Classifications**

ETIM 8.0	EC002309	ETIM 9.0	EC002309
ETIM 10.0	EC002309	ECLASS 14.0	27-44-02-01
ECLASS 15.0	27-44-02-01		

## HDC MEMC ADP

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

## Accessories

www.weidmueller.com

### Electrical modules



#### Flexible

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

### General ordering data

Type	HDC MEMC 2 FC	Version
Order No.	<a href="#">2748570000</a>	Data module, 50 V, 10 A, Number of poles: 2, Crimp connection,
GTIN (EAN)	4050118890587	Female, Required plug-in slots: 2
Qty.	2 ST	
Type	HDC MEMC 2 MC	Version
Order No.	<a href="#">2748560000</a>	Data module, 50 V, 10 A, Number of poles: 2, Crimp connection,
GTIN (EAN)	4050118890730	Male, Required plug-in slots: 2
Qty.	2 ST	
Type	HDC MBUS HD 1 F	Version
Order No.	<a href="#">2748620000</a>	Data use, 50 V, 10 A, Number of poles: 1, Crimp connection, Female,
GTIN (EAN)	4050118890815	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 1 M	Version
Order No.	<a href="#">2748630000</a>	Data use, 50 V, 10 A, Number of poles: 1, Crimp connection, Male,
GTIN (EAN)	4050118890693	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 4 F	Version
Order No.	<a href="#">2748580000</a>	Data use, 50 V, 10 A, Number of poles: 4, Crimp connection, Female,
GTIN (EAN)	4050118890570	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 4 M	Version
Order No.	<a href="#">2748590000</a>	Data use, 50 V, 10 A, Number of poles: 4, Crimp connection, Male,
GTIN (EAN)	4050118890723	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HE 1 F	Version
Order No.	<a href="#">2748600000</a>	Data use, 50 V, 16 A, Number of poles: 1, Crimp connection, Female,
GTIN (EAN)	4050118890563	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HE 1 M	Version
Order No.	<a href="#">2748610000</a>	Data use, 50 V, 16 A, Number of poles: 1, Crimp connection, Male,
GTIN (EAN)	4050118890822	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HS 8 F	Version
Order No.	<a href="#">2748640000</a>	Data use, 50 V, 5 A, Number of poles: 8, Crimp connection, Female,
GTIN (EAN)	4050118890686	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HS 8 M	Version
Order No.	<a href="#">2748650000</a>	Data use, 50 V, 5 A, Number of poles: 8, Crimp connection, Male,
GTIN (EAN)	4050118890716	Required plug-in slots: 0
Qty.	1 ST	