


HDC MEMC ADP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



In addition to heavy-duty connectors, RockStar® includes the appropriate accessories for effective, functional and safe system cabling; e.g. coding systems, shield clamps, cover plates and replacement seals

General ordering data

Version	Shield bus
Order No.	2748740000
Type	HDC MEMC ADP
GTIN (EAN)	4050118890624
Qty.	1 items

HDC MEMC ADP

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS	Conform
------	---------

Dimensions and weights

Depth	28.9 mm	Depth (inches)	1.1378 inch
Height	23.5 mm	Height (inches)	0.9252 inch
Width	4.5 mm	Width (inches)	0.1772 inch
Net weight	17.6 g		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

General data

Version	For a shield connection	Basic material	Diecast zinc
---------	-------------------------	----------------	--------------

Classifications

ETIM 8.0	EC002309	ETIM 9.0	EC002309
ETIM 10.0	EC002309	ECLASS 14.0	27-44-02-01
ECLASS 15.0	27-44-02-01		

HDC MEMC ADP

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Electrical modules



Flexible

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

Type	HDC MEMC 2 FC	Version
Order No.	2748570000	Data module, 50 V, 10 A, Number of poles: 2, Crimp connection,
GTIN (EAN)	4050118890587	Female, Required plug-in slots: 2
Qty.	2 ST	
Type	HDC MEMC 2 MC	Version
Order No.	2748560000	Data module, 50 V, 10 A, Number of poles: 2, Crimp connection,
GTIN (EAN)	4050118890730	Male, Required plug-in slots: 2
Qty.	2 ST	
Type	HDC MBUS HD 1 F	Version
Order No.	2748620000	Data use, 50 V, 10 A, Number of poles: 1, Crimp connection, Female,
GTIN (EAN)	4050118890815	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 1 M	Version
Order No.	2748630000	Data use, 50 V, 10 A, Number of poles: 1, Crimp connection, Male,
GTIN (EAN)	4050118890693	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 4 F	Version
Order No.	2748580000	Data use, 50 V, 10 A, Number of poles: 4, Crimp connection, Female,
GTIN (EAN)	4050118890570	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HD 4 M	Version
Order No.	2748590000	Data use, 50 V, 10 A, Number of poles: 4, Crimp connection, Male,
GTIN (EAN)	4050118890723	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HE 1 F	Version
Order No.	2748600000	Data use, 50 V, 16 A, Number of poles: 1, Crimp connection, Female,
GTIN (EAN)	4050118890563	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HE 1 M	Version
Order No.	2748610000	Data use, 50 V, 16 A, Number of poles: 1, Crimp connection, Male,
GTIN (EAN)	4050118890822	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HS 8 F	Version
Order No.	2748640000	Data use, 50 V, 5 A, Number of poles: 8, Crimp connection, Female,
GTIN (EAN)	4050118890686	Required plug-in slots: 0
Qty.	1 ST	
Type	HDC MBUS HS 8 M	Version
Order No.	2748650000	Data use, 50 V, 5 A, Number of poles: 8, Crimp connection, Male,
GTIN (EAN)	4050118890716	Required plug-in slots: 0
Qty.	1 ST	