UBH SWH 1/4 EC 6.3



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





The Weidmüller bits are standard bits which are highly popular with users thanks to their good quality, large range and efficiency. The computer-controlled hardening method enables Weidmüller to guarantee a consistently high standard of quality.

The high-quality raw materials used make it possible to reach torques far higher than any of those specified in the relevant DIN standards:

- DIN 5261 for PH/PZ bits,
- DIN 5263 for slotted bits,
- Camcar standard for TORX bits

That means a long life at high torques and hence ideal conditions for standard situations.

The benefits:

- Suitable for all types of screws. Because of their excellent hardness values of 59-61 HRC, they are suitable for use with both manual and power tools.
- Good wearing resistance and thus a long life expectancy.
- Optimum fit in all DIN screws means low wear and optimum torque transmission.
- Manufactured to meet professional quality criteria according to relevant ISO standards with a consistently high standard of quality.

General ordering data

Version	Mounting tool
Order No.	<u>2749110000</u>
Туре	UBH SWH 1/4 EC 6.3
GTIN (EAN)	4050118895414
Qty.	1 items

Catalogue status / Drawings



UBH SWH 1/4 EC 6.3



Weidmüller Interface GmbH & Co. KG

21-04-90-90

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

ECLASS 13.0

ECLASS 15.0

Approvals				
ROHS	Conform			
Dimensions and weights	S			
Width	60 mm	Width (inches)	2.3622 inch	
Net weight	20 g	viati (mones)	2.3022 111011	
Environmental Product (Compliance		,	
RoHS Compliance Status	Compliant without exemption			
REACH SVHC	No SVHC above 0.1 wt%			
Technical data			,	
Description of article	Universal quick-change holder, 1/4" E6.3 drive for 1/4" bits			
Classifications			,	
ETIM 6.0	EC002118	ETIM 7.0	EC002118	
ETIM 8.0	EC002118	ETIM 9.0	EC002118	
ETIM 10.0	EC002118	ECLASS 9.0	21-04-92-90	
ECLASS 9.1	21-01-90-90	ECLASS 10.0	21-04-92-90	
ECLASS 11.0	21-04-90-90	ECLASS 12.0	21-04-90-90	

21-04-90-90

21-04-90-90

ECLASS 14.0