

Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





Weidmüller can supply suitable bus lines for customising. All bus cables are suitable for moving cable carriers and are available by the metre. The colour coding of the lines corresponds to the standard in mechanical engineering. The connection hoods of the M12 distributor always have the same number of terminals so that only one type of cable is necessary.

Advantages of bus cables supplied by the metre:

- Special lengths for bus cables
- No cable waste
- No storage space required for different cable lengths
- Also available in specific lengths.

### **General ordering data**

Sensor/actuator line, Number of poles: 19, 500 m, Shielded: No, LED: No, Sheath material: PUR, Halo- gen: No
<u>2764960000</u>
SAIH-SLL-3X0.75-16X0.34-500
4064675031253
1 items
on plywood reel





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

## **Approvals**

Approvals



ROHS Conform

## **Dimensions and weights**

Net weight 63.37 g

## **Environmental Product Compliance**

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

### **Technical specifications for cable**

Cable length	500 m	
Sheathing colour	black	
Resistance to oils	Yes	
Suitable for cable carriers	Yes	
Number of wires	19	
Shielded	No	
Halogen	No	
Insulation	TPM	
Acceleration	5 m/s <sup>2</sup>	
Bending radius, min., moving	10 x cable diameter	
Bending radius, min., stationary	5 x cable diameter	
Bending cycles	2 Mio	
Wire cross section (Print/Online)	3 x 0.75 mm <sup>2</sup> + 16 x 0.34 mm <sup>2</sup>	
Speed	200 m/s	
Sheath material	PUR	
Outer cladding in accordance with UL AWM style	21198 (80 °C / 300 V)	
Core in accordance with UL AWM style	10493 (80 °C / 300 V)	
Welding spark resistance	No	
Colour coding	, , , ,	grey / pink, white / green, white / yellow, white / grey, own, brown / green, white, yellow, pink, grey / brown
Torsion resistance	0 °/m	
Temperature range, stationary	-5080 °C	
Resistant to welding beads	No	
Temperature range, moving	-2580 °C	
Number of poles	19	
Outside diameter	9.1 mm ± 0.3 mm	
Colour coding (Wire cross section)	Wire cross-section	3 x 0.75 mm <sup>2</sup>
	Colour coding	brown
	Wire cross-section	16 x 0.34 mm <sup>2</sup>
	Colour coding	yellow-brown

# Classifications

ETIM 6.0	EC001578	ETIM 7.0	EC003250
ETIM 8.0	EC003250	ETIM 9.0	EC003250
ETIM 10.0	EC003250	ECLASS 9.0	27-06-20-11
ECLASS 9.1	27-06-90-90	ECLASS 10.0	27-06-01-06

Creation date 27.11.2025 02:52:48 MEZ





### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

ECLASS 11.0	27-06-01-06	ECLASS 12.0	27-06-01-06
ECLASS 13.0	27-06-01-06	ECLASS 14.0	27-06-01-06
ECLASS 15.0	27-06-01-06		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Drawings**

## **Detailed drawing**



3 x 0,75 mm<sup>2</sup> + 16 x 0,34 mm<sup>2</sup>



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

## Accessories

#### Screwty for M23 moulded cables and customisable connectors



The Screwty® attachment is suitable for customisable M23 round plug-in connectors and for overmoulded M23 round plug-in connectors, with an outside dimension of the knurled nut of 26.2 ±0.3 mm. The tightening torque is 2-2.5 Nm.

#### **General ordering data**

Qty.

Type SCREWTY M23 Version Order No. 1981560000 Cable gland tool adapter for M23 lines and connectors GTIN (EAN) 4032248677702

#### Screwty® cable gland tool with torque function



The ideal tool for any application Screwty® is the ideal, all-purpose tool for tightening all common sensor and actuator cables. Even difficult-toreach round plugs are accessible using the Screwty®. A simple turning movement tightens and loosens the connectors without the need for excessive force. The Screwty® is a unique and global solution since it fits with most cables and plugs from other vendors (over 90 %). The Screwty® consists of a handle with a conventional 1/4" adapter. Thus it can be used for all sizes: for M12 and M8 round plug-in connectors, and for M12F and M8F customisable plugs and sockets, as well as for all M23 plugs and sockets.

#### **General ordering data**

1/4" HANDGRIFF Type Version 4294820000 Order No. Bolting tool GTIN (EAN) 4032248478279 Qty. 1 ST

Creation date 27.11.2025 02:52:48 MEZ