

WBC-CH-6OR-BK-25-0023



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



Battery storage systems are playing an increasingly important role in the field of renewable energies. They usually consist of several individual batteries that need to be quick and easy to replace. The Weidmüller Battery Connector (WBC) makes it possible to connect several individual batteries to an ESS in just a few simple steps – and to disconnect the connections just as quickly if required. For more safety and easy handling, the poles are clearly marked: The positive pole in orange and the negative pole in black.

General ordering data

Order No.	2938270000
Туре	WBC-CH-60R-BK-25-0023
GTIN (EAN)	4099986699120
Oty.	1 items



WBC-CH-6OR-BK-25-0023



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals			
ROHS	Conform		
	COMOTH		
Dimensions and weights			
Length	324 mm	Length (inches)	12.7559 inch
Net weight	120 g		
Temperatures			
Continuous operating temp., min.	-40 °C	Continuous operating temp., max.	125 °C
Environmental Product Con	npliance		
RoHS Compliance Status	Compliant		
REACH SVHC	No SVHC above 0.1 wt%		
General Data			
Outer cable diameter, max.	6 mm	Contact diameter, male Ø	6 mm
Approvals	UL 4128	Type of connection	Crimp connection
Colour	black, orange	Conductor cross-section, max.	25 mm ²
Surface finish	silver	Туре	Female
Basic material	PA 66		
Technical Data			
UL 94 flammability rating	V-0	Length	324 mm
Nominal voltage	1500 V	Nominal current	120 A
Protection degree	IP67 plugged	Plugging cycles	≥ 100
Classifications			
ETIM 7.0	EC001121	ETIM 8.0	EC001121
ETIM 9.0	EC001121	ETIM 10.0	EC001121
ECLASS 10.0	27-44-03-12	ECLASS 11.0	27-44-03-12
ECLASS 12.0	27-44-03-12	ECLASS 13.0	27-44-03-12
ECLASS 14.0	27-44-03-12	ECLASS 15.0	27-44-03-12

Catalogue status / Drawings 2

WBC-CH-6OR-BK-25-0023



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings



