MP TBF 30/19



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Similar to illustration







The enclosures of the TBF series are made of extremely tough glass fibre-reinforced polyester. These enclosures are ideal for applications that call for low weight coupled with high shock resistance. The weather-resistant TBF enclosures are designed for a wide range of applications. Together with their comprehensive range of accessories, they provide universal solutions for accommodating built-in items such as regulators, measuring instruments, valves and other equipment.

Features:

- 9 sizes in 2 versions, with grey and transparent lids
- Cover with nylon screws
- · Fixing holes outside the sealed area
- Thread for fitting to terminal rails and mounting plates
- Comprehensive accessories
- Weidmüller can manufacture and supply this enclosure to match customer specifications, fitted with all necessary terminals and cable glands.

General ordering data

Version	TBF (polyester empty enclosure), Mounting plate, Mounting plate, Height: 249 mm, Width: 134 mm, Depth: 2 mm, Basic material: Sheet steel, galva- nized, galvanized, silver	
Order No.	<u>3018950000</u>	
Туре	MP TBF 30/19	
GTIN (EAN)	4032248008759	
Qty.	1 items	

1

Catalogue status / Drawings



MP TBF 30/19



Weidmüller Interface GmbH & Co. KG

27-40-06-39

27-40-06-39

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals				
ROHS	Conform			
Dimensions and weights	S			
Depth	2 mm	Depth (inches)	0.0787 inch	
Height	249 mm	Height (inches)	9.8031 inch	
Width	134 mm	Width (inches)	5.2756 inch	
Net weight	503 g			
Temperatures				
Operating temperature				
	·			
Environmental Product (Compliance			
RoHS Compliance Status	Compliant without exemption			
REACH SVHC	No SVHC above 0.1 wt%			
General information				
Material thickness	2 mm	Type of fixing	when screwed in	
Surface finish	galvanized	Basic material	Sheet steel, galvanized	
Classifications				
ETIM 6.0	EC000213	ETIM 7.0	EC000213	
ETIM 8.0	EC000213	ETIM 9.0	EC000213	
ETIM 10.0	EC000213	ECLASS 9.0	27-40-06-39	
ECLASS 9.1	27-18-92-90	ECLASS 10.0	27-40-06-39	

ECLASS 12.0

ECLASS 14.0

27-40-06-39

27-40-06-39

27-40-06-39

ECLASS 11.0

ECLASS 13.0

ECLASS 15.0