SAIBGP-P-3A-3.5/5.5-M8



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



Individual cable lengths are often required nowadays. In order to meet these demands, Weidmüller offers a wide range of plug-in connectors for custom assembly. Male plugs and female sockets for customisable assembly for M8, M12, M16 and 7/8" connections which are highly robust and ideally suited to machine engineering, for instance. The M8 round plug-in connectors are particularly suited to applications where space is limited.

General ordering data

Version	Field attachable connector, M8		
Order No.	<u>3103360000</u>		
Туре	SAIBGP-P-3A-3.5/5.5-M8		
GTIN (EAN)	4099987149693		
Qty.	1 items		



SAIBGP-P-3A-3.5/5.5-M8



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Aр	pr	ov	a	s
----	----	----	---	---

ROHS	Conform			
Dimensions and weights				
Width	49 mm	Width (inches)	1.9291 inch	
Diameter	14 mm	Net weight	16 g	

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Technical data customisable plug-in connectors

Number of poles	3		
Coding	none		
Contact surface	Ni/Au		
Type of connection	PUSH IN		
Housing main material	PBT diecast zinc		
Cable diameter, max.	5.5 mm		
Cable diameter, min.	3.5 mm		
Contact material	CuSn		
Conductor cross-section, max.	0.5 mm ²		
Conductor cross-section, min.	0.14 mm ²		
Nominal current	4 A		
Protection degree	IP67		
Plugging cycles	≥ 100		
Pollution severity	3		
Gender of contact	Female		
Rated voltage	Rated voltage	48 V	
	Voltage type	AC	
	Rated voltage	60 V	
	Voltage type	DC	
Shield connection	No		
Threaded ring material	Diecast zinc		
Temperature range of housing	-25+85 °C		

Standards

onnector standard	IEC 61076-2-104

Classifications

ETIM 8.0	EC002635	ETIM 9.0	EC002635
ETIM 10.0	EC002635	ECLASS 14.0	27-44-01-16
ECLASS 15.0	27-44-01-16		

Creation date 04.12.2025 04:32:33 MEZ

Catalogue status / Drawings 2

SAIBGP-P-3A-3.5/5.5-M8




Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany


www.weidmueller.com


Drawings

Dimensioned drawing



Pole scheme





Similar to illustration

