

TCB INL THIRD 4**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Inspired by 5S and lean management methods, Weidmüller foam inserts ensure an efficient and tidy workplace. Designed according to a modular principle, they offer many advantages and can be selected according to individual requirements.

General ordering data

Order No.	3155270000
Type	TCB INL THIRD 4
GTIN (EAN)	4099987654661
Qty.	1 items

TCB INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	50 mm	Depth (inches)	1.9685 inch
Height	390 mm	Height (inches)	15.3543 inch
Width	185 mm	Width (inches)	7.2835 inch
Diameter	0 mm	Net weight	793.73 g

Technical data

Description of article	Foam inlay universal big, empty
------------------------	---------------------------------

Tool chest

Assembly	with tools
----------	------------

Assortments

Diameter	0 mm
----------	------

Classifications

ETIM 8.0	EC011819	ETIM 9.0	EC011819
ETIM 10.0	EC011819	ECLASS 14.0	21-07-04-12
ECLASS 15.0	21-07-04-12		

TCB INL THIRD 4

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Torque screwdriver



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	DMSI MANUELL 0,5-1,7	Version	
Order No.	9918390000	Torque screwdriver	
GTIN (EAN)	4032248388356		
Qty.	1 ST		

Screwdriver Sets



VDE insulated screwdriver sets, for working on live parts up to 1000 V AC and 1500 V DC, DIN EN 60900. IEC 900. Each piece is "GS" safety tested. Blade made from fully hardened, high-alloy chromium-vanadium-molybdenum steel, gun-metal finish.

General ordering data

Type	SDI SET SLIM S3.5-6.5/P...	Version	
Order No.	2749580000	Mounting tool	
GTIN (EAN)	4050118896329		
Qty.	1 ST		

TCB INL THIRD 4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... hexagonal / Allen key



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I SK 4	Version
Order No.	2506070000	Screwdriver insert
GTIN (EAN)	4050118520521	
Qty.	1 ST	
Type	WB I SK 5	Version
Order No.	2506080000	Screwdriver insert
GTIN (EAN)	4050118520514	
Qty.	1 ST	

... Torx®



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

Accessories

General ordering data

Type	WB I T10	Version	
Order No.	2506000000	Screwdriver insert	
GTIN (EAN)	4050118520590		
Qty.	1 ST		
Type	WB I T15	Version	
Order No.	2506010000	Screwdriver insert	
GTIN (EAN)	4050118520545		
Qty.	1 ST		
Type	WB I T20	Version	
Order No.	2506020000	Screwdriver insert	
GTIN (EAN)	4050118520569		
Qty.	1 ST		

... Phillips crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PH1	Version	
Order No.	2433210000	Screwdriver insert	
GTIN (EAN)	4050118443653		
Qty.	1 ST		
Type	WB IK SL PH2	Version	
Order No.	2433220000	Screwdriver insert	
GTIN (EAN)	4050118443691		
Qty.	1 ST		

TCB INL THIRD 4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... Pozidriv crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PZ1	Version	
Order No.	2433230000	Screwdriver insert	
GTIN (EAN)	4050118443806		
Qty.	1 ST		
Type	WB IK SL PZ2	Version	
Order No.	2433240000	Screwdriver insert	
GTIN (EAN)	4050118443684		
Qty.	1 ST		

... slotted-head screws



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

Accessories

General ordering data

Type	WB SI SL 0,8X4,0	Version
Order No.	2433190000	Screwdriver insert
GTIN (EAN)	4050118443646	
Qty.	1 ST	
Type	WB SI SL 0.4X2.5	Version
Order No.	2433160000	Screwdriver insert
GTIN (EAN)	4050118443639	
Qty.	1 ST	
Type	WB SI SL 0.5X3.0	Version
Order No.	2433170000	Screwdriver insert
GTIN (EAN)	4050118443622	
Qty.	1 ST	
Type	WB SI SL 0.6X3.5	Version
Order No.	2433180000	Screwdriver insert
GTIN (EAN)	4050118443677	
Qty.	1 ST	
Type	WB SI SL 1,0X5,5	Version
Order No.	2433200000	Screwdriver insert
GTIN (EAN)	4050118443660	
Qty.	1 ST	