

SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



Feed through connection

- PLC-5 1771 conversion to pluggable connector(s)
- 10-, 12-, 18-, 21 • or 40-point cards

General ordering data

Order No.	6720001400
Type	SP-RS PLC PLC5 1771-WN 40CH
GTIN (EAN)	4050118765878
Qty.	1 items

SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS	Conform
------	---------

Dimensions and weights

Depth	142 mm	Depth (inches)	5.5905 inch
Height	254 mm	Height (inches)	10 inch
Width	30 mm	Width (inches)	1.1811 inch
Net weight	196 g		

Temperatures

Storage temperature	0...50 °C	Operating temperature	0...50 °C
---------------------	-----------	-----------------------	-----------

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Classifications

ETIM 8.0	EC002780	ETIM 9.0	EC002780
ETIM 10.0	EC002780	ECLASS 14.0	27-14-11-52
ECLASS 15.0	27-14-11-52		

SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

Drawings

www.weidmueller.com



Pin	Label
1	0V
2	0V
3	0V
4	0V
5	0V
6	0V
7	0V
8	0V
9	0V
10	0V
11	0V
12	0V
13	0V
14	0V
15	0V
16	0V
17	0V
18	0V
19	0V
20	0V
21	0V
22	0V
23	0V
24	0V
25	0V
26	0V
27	0V
28	0V
29	0V
30	0V
31	0V
32	0V
33	0V
34	0V
35	0V
36	0V
37	0V
38	0V
39	0V
40	0V