

TS35X15 ST 282 K79 VER



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Similar to illustration



Similar to illustration

The system accessories for the Klippon® K enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

- DIN Rails TS 35 and TS15
- Mounting plates
- Hinges
- Wall-mounted holder

Weidmüller can manufacture and supply this enclosure - according to customer specifications - fitted with all necessary terminals and cable glands.

General ordering data

Version	Rail, TS 35 x 15, Width: 282 mm, without slot, with slot, Steel, galvanic zinc plated and passivated	
Order No.	<u>8000135670</u>	
Туре	TS35X15 ST 282 K79 VER	
GTIN (EAN)	4099987090063	
Qty.	1 items	

Catalogue status / Drawings



TS35X15 ST 282 K79 VER



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals					
ROHS	Conform				
Dimensions and weights	<u> </u>				
Depth	15 mm	Depth (inches)	0.5906 inch		
Height	35 mm	Height (inches)	1.378 inch		
Width	282 mm	Width (inches)	11.1023 inch		
Length	282 mm	Length (inches)	11.1023 inch		
Net weight	198.44 g				
Temperatures					
Operating temperature					
Environmental Product C	Compliance				
Dalla Carralian as Chatra	Committee de midde en de en committee				
RoHS Compliance Status REACH SVHC		Compliant without exemption			
REACH SVHC	No SVHC above 0.1 Wt%	No SVHC above 0.1 wt%			
General information			<u> </u>		
Material thickness	1.5 mm	Installation advice	Direct mounting		
Standards	In accordance with DIN EN 60715	Surface finish	galvanic zinc plated and passivated		
Basic material	Steel	Stamp dimensions	6.3 x 20 mm		
General information on a	ıccessories				
Matarial thickness	1.5 mm	Surface finish	galvania zina platad and		
Material thickness	1.5 mm	Surface finish	galvanic zinc plated and passivated		
	1.5 mm	Surface finish Stamp dimensions			
Basic material			passivated		
Basic material Classifications	Steel	Stamp dimensions	passivated 6.3 x 20 mm		
Material thickness Basic material Classifications ETIM 8.0 ETIM 10.0			passivated		

Catalogue status / Drawings 2