

**MBGE ASSY - AUGAT 739-0018 40POLE TB**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

---

The MiBridge solution. Adapters for migration - Siemens 505-4232A, 4332 or AUGAT 739-0018 PLC. The front adapters with pre-assembled cables provide a safe migration from Siemens 505-4232A or 4332 cards to other PLC systems or to the U-REMOTE modules from Weidmüller.

**General ordering data**

Order No.	8000163031
Type	<a href="#">MBGE ASSY - AUGAT 739-0018 40POLE TB</a>
GTIN (EAN)	4099987606400
Qty.	ST

**MBGE ASSY - AUGAT 739-0018 40POLE TB**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**
**Dimensions and weights**

Depth	64.17 mm	Depth (inches)	2.5264 inch
Height	179.66 mm	Height (inches)	7.0732 inch
Width	20 mm	Width (inches)	0.7874 inch
Net weight	9999 g		

**Temperatures**

Storage temperature	-20...70 °C	Operating temperature	-20...50 °C
---------------------	-------------	-----------------------	-------------

**Rated data UL**

Storage temperature UL, max.	70 °C	Operating temperature UL, min.	-20 °C
Operating temperature UL, max.	50 °C	Storage temperature UL, min.	-20 °C
Rated current I <sub>max</sub>	40 A	Rated voltage UN	250 V

**Connection data**

Number of poles (control side)	40-pole	Connection (field side)	AUGAT 739-0018 PLC 40 pole connector
--------------------------------	---------	-------------------------	--------------------------------------

**Connection data**

Connection (field side)	AUGAT 739-0018 PLC 40 pole connector	Connection to PLC	New PLC terminal block or hardwired
Number of poles (field side)	40 P		

**Ratings data**

Operating voltage	250 V	Max. current per channel	3.96 A
Total operating current	40 A		

**Insulation coordination (EN50178)**

Rated insulation voltage	300 V	Surge voltage category	II
Pollution severity level	2	Pulse voltage test (1,2/50µs)	2.5 kV
Insulation test voltage AC	1.8 kV		

**Classifications**


ETIM 8.0	EC002584	ETIM 9.0	EC002584
ETIM 10.0	EC002584	ECLASS 14.0	27-33-02-92
ECLASS 15.0	27-33-02-92		

**MBGE ASSY - AUGAT 739-0018 40POLE TB**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

**Drawings**

[www.weidmueller.com](http://www.weidmueller.com)



Item	Value	Unit
1	1000	mm
2	1000	mm
3	1000	mm
4	1000	mm
5	1000	mm
6	1000	mm
7	1000	mm
8	1000	mm
9	1000	mm
10	1000	mm
11	1000	mm
12	1000	mm
13	1000	mm
14	1000	mm
15	1000	mm
16	1000	mm
17	1000	mm
18	1000	mm
19	1000	mm
20	1000	mm
21	1000	mm
22	1000	mm
23	1000	mm
24	1000	mm
25	1000	mm
26	1000	mm
27	1000	mm
28	1000	mm
29	1000	mm
30	1000	mm
31	1000	mm
32	1000	mm
33	1000	mm
34	1000	mm
35	1000	mm
36	1000	mm
37	1000	mm
38	1000	mm
39	1000	mm
40	1000	mm