

HTN 21**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Crimping tools for non-insulated connectors

Rolled cable lugs, tubular cable lugs, terminal pins, parallel and serial connectors

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Version	Pressing tool, Crimping tool for contacts, 0.5mm ² , 6mm ² , Indent crimp
Order No.	9014610000
Type	HTN 21
GTIN (EAN)	4008190152734
Qty.	1 items

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Width	200 mm	Width (inches)	7.874 inch
Net weight	421.6 g		

Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

Technical data

Description of article	Crimping tool for non-insulated connectors, 0.5-6 mm ²	Version	Mechanical, without interchangeable inserts
------------------------	-------------------------------------------------------------------	---------	---------------------------------------------

Description of contact

Type of contact	Uninsulated connection	Conductor cross-section, max. AWG	AWG 10
Conductor cross-section, min. AWG	AWG 21	Crimping range, max.	6 mm ²
Crimping range, min.	0.5 mm ²		


tool data crimping

Wire end ferrules cross-section, max.	6 mm ²	Wire end ferrules cross-section, min.	0.5 mm ²
Crimping type/profile	Indent crimp		

Classifications

ETIM 8.0	EC000168	ETIM 9.0	EC000168
ETIM 10.0	EC000168	ECLASS 14.0	21-04-38-11
ECLASS 15.0	21-04-38-11		

Drawings



HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.5 - 0.75 mm²0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M3/-0,75	Version	
Order No.	1495010000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304800		
Qty.	100 ST		
Type	KRN-M4/-0,75	Version	
Order No.	1495020000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304817		
Qty.	100 ST		
Type	KRN-M5/-0,75	Version	
Order No.	1495030000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304848		
Qty.	100 ST		

1.0 - 1.5 mm²1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M3/-1,5	Version	
Order No.	1495040000		cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304916		
Qty.	100 ST		
Type	KRN-M4/-1,5	Version	
Order No.	1495050000		cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304886		
Qty.	100 ST		
Type	KRN-M5/-1,5	Version	
Order No.	1495070000		cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304565		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M6/-1,5	Version	
Order No.	1495080000		cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304732		
Qty.	100 ST		

2.5 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-2,5	Version	
Order No.	1495090000		cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118305029		
Qty.	100 ST		
Type	KRN-M5/-2,5	Version	
Order No.	1495100000		cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304879		
Qty.	100 ST		
Type	KRN-M6/-2,5	Version	
Order No.	1495110000		cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304596		
Qty.	100 ST		
Type	KRN-M8/-2,5	Version	
Order No.	1495120000		cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304824		
Qty.	100 ST		

4 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-4	Version	
Order No.	1495130000		cable lug, terminal end, 4 mm ² , 4 mm ² - 4 mm ²
GTIN (EAN)	4050118304831		
Qty.	100 ST		

HTN 21


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M5/-4	Version
Order No.	1495140000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118305043	
Qty.	100 ST	
Type	KRN-M6/-4	Version
Order No.	1495150000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118305067	
Qty.	100 ST	
Type	KRN-M8/-4	Version
Order No.	1495170000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118304855	
Qty.	100 ST	

6 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-6	Version
Order No.	1497150000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306767	
Qty.	100 ST	
Type	KRN-M5/-6	Version
Order No.	1497170000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306590	
Qty.	100 ST	
Type	KRN-M6/-6	Version
Order No.	1497180000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306729	
Qty.	100 ST	
Type	KRN-M8/-6	Version
Order No.	1497190000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306613	
Qty.	100 ST	
Type	KRN-M10/-6	Version
Order No.	1497200000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306385	
Qty.	100 ST	
Type	KRN-M12/-6	Version
Order No.	1497210000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306347	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

10 mm²10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-10	Version
Order No.	1496900000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306293	
Qty.	100 ST	
Type	KRN-M5/-10	Version
Order No.	1496910000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306378	
Qty.	100 ST	
Type	KRN-M6/-10	Version
Order No.	1496920000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306439	
Qty.	100 ST	
Type	KRN-M8/-10	Version
Order No.	1496930000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306552	
Qty.	100 ST	
Type	KRN-M10/-10	Version
Order No.	1496940000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306521	
Qty.	100 ST	
Type	KRN-M12/-10	Version
Order No.	1496950000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306453	
Qty.	100 ST	

16 mm²16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

General ordering data

Type	KRN-M5/-16	Version
Order No.	1496970000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306569	
Qty.	100 ST	
Type	KRN-M6/-16	Version
Order No.	1496980000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306583	
Qty.	100 ST	
Type	KRN-M8/-16	Version
Order No.	1496990000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306514	
Qty.	100 ST	
Type	KRN-M10/-16	Version
Order No.	1497000000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306460	
Qty.	100 ST	
Type	KRN-M12/-16	Version
Order No.	1497010000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306538	
Qty.	100 ST	

25 mm²

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-25	Version
Order No.	1495830000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305562	
Qty.	100 ST	
Type	KRN-M6/-25	Version
Order No.	1496490000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305784	
Qty.	100 ST	
Type	KRN-M8/-25	Version
Order No.	1496500000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305975	
Qty.	100 ST	
Type	KRN-M10/-25	Version
Order No.	1496510000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305814	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M12/-25	Version	
Order No.	1496520000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118306163		
Qty.	100 ST		
Type	KRN-M14/-25	Version	
Order No.	1496530000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305883		
Qty.	100 ST		

0.5 - 0.75 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M3/-0,75 90	Version	
Order No.	1495180000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304787		
Qty.	100 ST		
Type	KWN-M4/-0,75 90	Version	
Order No.	1495190000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304909		
Qty.	100 ST		
Type	KWN-M5/-0,75 90	Version	
Order No.	1495200000		cable lug, terminal end, 0.75 mm ² , 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304930		
Qty.	100 ST		

1.0 - 1.5 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M3/-1,5 90	Version	
Order No.	1495210000		cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304893		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M4/-1,5 90	Version
Order No.	1495220000	cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304572	
Qty.	100 ST	
Type	KWN-M5/-1,5 90	Version
Order No.	1495230000	cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304749	
Qty.	100 ST	
Type	KWN-M6/-1,5 90	Version
Order No.	1495240000	cable lug, terminal end, 1.5 mm ² , 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304862	
Qty.	100 ST	

2.5 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M4/-2,5 90	Version
Order No.	1495250000	cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304725	
Qty.	100 ST	
Type	KWN-M5/-2,5 90	Version
Order No.	1495270000	cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304954	
Qty.	100 ST	
Type	KWN-M6/-2,5 90	Version
Order No.	1495280000	cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118305111	
Qty.	100 ST	
Type	KWN-M8/-2,5 90	Version
Order No.	1495290000	cable lug, terminal end, 2.5 mm ² , 2.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118304923	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

4 mm²



4 mm²


The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M4/-4 90	Version
Order No.	1495300000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118305081	
Qty.	100 ST	
Type	KWN-M5/-4 90	Version
Order No.	1495310000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118304794	
Qty.	100 ST	
Type	KWN-M6/-4 90	Version
Order No.	1495320000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118304763	
Qty.	100 ST	
Type	KWN-M8/-4 90	Version
Order No.	1495330000	cable lug, terminal end,4 mm ² ,4 mm ² - 4 mm ²
GTIN (EAN)	4050118305128	
Qty.	100 ST	

6 mm²



6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M4/-6 90	Version
Order No.	1497220000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306477	
Qty.	100 ST	
Type	KWN-M5/-6 90	Version
Order No.	1496120000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118305753	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KWN-M6/-6 90	Version
Order No.	1496130000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118305982	
Qty.	100 ST	
Type	KWN-M8/-6 90	Version
Order No.	1496140000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118306248	
Qty.	100 ST	
Type	KWN-M10/-6 90	Version
Order No.	1496150000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118305579	
Qty.	100 ST	
Type	KWN-M12/-6 90	Version
Order No.	1496170000	cable lug, terminal end,6 mm ² ,6 mm ² - 6 mm ²
GTIN (EAN)	4050118305869	
Qty.	100 ST	

0.5 - 0.75 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN-M0,5/-0,75	Version
Order No.	1497330000	cable lug, terminal end,0.5 mm ² - 0.75 mm ² ,None
GTIN (EAN)	4050118306637	
Qty.	100 ST	

1.0 - 1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN-M1/-1,5	Version
Order No.	1497340000	cable lug, terminal end,1 mm ² - 1.5 mm ² ,None
GTIN (EAN)	4050118306910	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


2.5 mm²2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-2.5	Version	
Order No.	1497350000	Version	cable lug, terminal end,2.5 mm ² ,2.5 mm ² ,None
GTIN (EAN)	4050118306859		
Qty.	100 ST		

4 mm²4 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-4	Version	
Order No.	1497370000	Version	cable lug, terminal end,4 mm ² ,4 mm ² ,None
GTIN (EAN)	4050118307009		
Qty.	100 ST		

6 mm²6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-6	Version	
Order No.	1494720000	Version	cable lug, terminal end,6 mm ² ,6 mm ² ,None
GTIN (EAN)	4050118304190		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.1 - 0.5 mm²0.1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M2/-0,5	Version	
Order No.	1493670000		cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303438		
Qty.	100 ST		
Type	KQN-M3/-0,5	Version	
Order No.	1493680000		cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303445		
Qty.	100 ST		
Type	KQN-M4/-0,5	Version	
Order No.	1493690000		cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303346		
Qty.	100 ST		
Type	KQN-M5/-0,5	Version	
Order No.	1493700000		cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303582		
Qty.	100 ST		

0.5 - 1 mm²0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M2/-1	Version	
Order No.	1493720000		cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303612		
Qty.	100 ST		
Type	KQN-M2,5/-1	Version	
Order No.	1493730000		cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303452		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQN-M3/-1	Version
Order No.	1493740000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303568	
Qty.	100 ST	
Type	KQN-M3,5/-1	Version
Order No.	1493750000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303469	
Qty.	100 ST	
Type	KQN-M4/S/-1	Version
Order No.	1493760000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303384	
Qty.	100 ST	
Type	KQN-M4/-1	Version
Order No.	1493770000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303377	
Qty.	100 ST	
Type	KQN-M5/S/-1	Version
Order No.	1493780000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303575	
Qty.	100 ST	
Type	KQN-M5/-1	Version
Order No.	1493790000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303704	
Qty.	100 ST	
Type	KQN-M6/-1	Version
Order No.	1493800000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303735	
Qty.	100 ST	
Type	KQN-M8/-1	Version
Order No.	1493810000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303476	
Qty.	100 ST	
Type	KQN-M10/-1	Version
Order No.	1493710000	cable lug, terminal end, 1 mm ² , 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303353	
Qty.	100 ST	

1.5 -2.5 mm²1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

Accessories

www.weidmueller.com

General ordering data

Type	KQN-M3/-2,5	Version
Order No.	1493820000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303360	
Qty.	100 ST	
Type	KQN-M3,5/-2,5	Version
Order No.	1493830000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303599	
Qty.	100 ST	
Type	KQN-M4/S/-2,5	Version
Order No.	1493840000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303391	
Qty.	100 ST	
Type	KQN-M4/-2,5	Version
Order No.	1493850000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303643	
Qty.	100 ST	
Type	KQN-M5/S/-2,5	Version
Order No.	1493870000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303759	
Qty.	100 ST	
Type	KQN-M5/-2,5	Version
Order No.	1493890000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303605	
Qty.	100 ST	
Type	KQN-M6/-2,5	Version
Order No.	1493900000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303698	
Qty.	100 ST	
Type	KQN-M8/-2,5	Version
Order No.	1493910000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303766	
Qty.	100 ST	
Type	KQN-M10/-2,5	Version
Order No.	1493930000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303841	
Qty.	100 ST	
Type	KQN-M12/-2,5	Version
Order No.	1493940000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303834	
Qty.	100 ST	


HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

4 - 6 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M4/-6	Version	
Order No.	1493950000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303919		
Qty.	100 ST		
Type	KQN-M5/-6	Version	
Order No.	1493960000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303629		
Qty.	100 ST		
Type	KQN-M6/-6	Version	
Order No.	1493970000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303667		
Qty.	100 ST		
Type	KQN-M8/-6	Version	
Order No.	1493980000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303674		
Qty.	100 ST		
Type	KQN-M10/-6	Version	
Order No.	1493990000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303797		
Qty.	100 ST		
Type	KQN-M12/-6	Version	
Order No.	1494000000		cable lug, terminal end,4 mm ² - 6 mm ²
GTIN (EAN)	4050118303490		
Qty.	100 ST		

0.5 - 1 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

General ordering data

Type	KQNG-M3/-1	Version
Order No.	1493540000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303223	
Qty.	100 ST	
Type	KQNG-M3,5/-1	Version
Order No.	1493550000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303155	
Qty.	100 ST	
Type	KQNG-M4/S/-1	Version
Order No.	1493560000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303285	
Qty.	100 ST	
Type	KQNG-M4/-1	Version
Order No.	1493570000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303254	
Qty.	100 ST	
Type	KQNG-M5/-1	Version
Order No.	1493580000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303315	
Qty.	100 ST	
Type	KQNG-M6/-1	Version
Order No.	1493590000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303506	
Qty.	100 ST	

1.5 - 2.5 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M3/-2,5	Version
Order No.	1493600000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303278	
Qty.	100 ST	
Type	KQNG-M3,5/-2,5	Version
Order No.	1493610000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303537	
Qty.	100 ST	
Type	KQNG-M4/S/-2,5	Version
Order No.	1493620000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303247	
Qty.	100 ST	

HTN 21


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KQNG-M4/-2,5	Version
Order No.	1493630000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303292	
Qty.	100 ST	
Type	KQNG-M5/-2,5	Version
Order No.	1493640000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303193	
Qty.	100 ST	
Type	KQNG-M6/-2,5	Version
Order No.	1493650000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303421	
Qty.	100 ST	

4 - 6 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M4/-6	Version
Order No.	1493660000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118303339	
Qty.	100 ST	
Type	KQNG-M5/-6	Version
Order No.	1492650000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302462	
Qty.	100 ST	
Type	KQNG-M6/-6	Version
Order No.	1492660000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302547	
Qty.	100 ST	
Type	KQNG-M8/-6	Version
Order No.	1492670000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302608	
Qty.	100 ST	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.1 - 0.5 mm²0.1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/0,1-0,5	Version	
Order No.	1492720000	Version	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118302653		
Qty.	100 ST		

0.5 - 1 mm²0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/0,5-1,0	Version	
Order No.	1492730000	Version	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118302486		
Qty.	100 ST		

1.5 - 2.5 mm²1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/1,5-2,5	Version	
Order No.	1492740000	Version	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302660		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KSN/-2,5	Version	
Order No.	1492750000		cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302707		
Qty.	100 ST		

4 - 6 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-6,0	Version	
Order No.	1492770000		cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118302530		
Qty.	100 ST		

0.1 - 0.5 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/0,1-0,5	Version	
Order No.	1492850000		cable lug, terminal end, 0.1 mm ² - 0.5 mm ² , None
GTIN (EAN)	4050118302554		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.5 - 1 mm²0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/0,5-1,0	Version	
Order No.	1492860000	Version	cable lug, terminal end,0,5 mm ² - 1 mm ² ,None
GTIN (EAN)	4050118302615		
Qty.	100 ST		

1.5 -2.5 mm²1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/1,5-2,5	Version	
Order No.	1492870000	Version	cable lug, terminal end,1,5 mm ² - 2,5 mm ² ,None
GTIN (EAN)	4050118302578		
Qty.	100 ST		

4 - 6 mm²4 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/4-6,0	Version	
Order No.	1492880000	Version	cable lug, terminal end,4 mm ² - 6 mm ² ,None
GTIN (EAN)	4050118302721		
Qty.	100 ST		

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.1 - 0.5 mm²0.1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/0,1-0,5	Version	
Order No.	1492980000	Version	cable lug, terminal end,0.1 mm ² - 0.5 mm ² ,None
GTIN (EAN)	4050118302974		
Qty.	100 ST		

0.5 - 1 mm²0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/0,5-1	Version	
Order No.	1492990000	Version	cable lug, terminal end,0.5 mm ² - 1 mm ² ,None
GTIN (EAN)	4050118303001		
Qty.	100 ST		

1.5 -2.5 mm²1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/1,5-2,5	Version	
Order No.	1493010000	Version	cable lug, terminal end,1.5 mm ² - 2.5 mm ² ,None
GTIN (EAN)	4050118302820		
Qty.	100 ST		

HTN 21


Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

4 - 6 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/4-6	Version	
Order No.	1493020000		
GTIN (EAN)	4050118302950		cable lug, terminal end,4 mm ² - 6 mm ² ,None
Qty.	100 ST		