

## PZ 1.5 ZERT

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

### General ordering data

|                 |                                                                                                   |
|-----------------|---------------------------------------------------------------------------------------------------|
| Version         | Crimping tool for wire-end ferrules, 0.14mm <sup>2</sup> , 1.5mm <sup>2</sup> , Trapezoidal crimp |
| Order No.       | <a href="#">9017310000</a>                                                                        |
| Type            | PZ 1.5 ZERT                                                                                       |
| GTIN (EAN)      | 4008190279325                                                                                     |
| Qty.            | 1 items                                                                                           |
| Delivery status | Discontinued                                                                                      |
| Available until | 2025-01-12T00:00:00+01:00                                                                         |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |        |                |             |
|------------|--------|----------------|-------------|
| Width      | 170 mm | Width (inches) | 6.6929 inch |
| Net weight | 205 g  |                |             |

## Environmental Product Compliance

|                        |                                      |
|------------------------|--------------------------------------|
| RoHS Compliance Status | Not affected                         |
| REACH SVHC             | Lead 7439-92-1                       |
| SCIP                   | 2159813b-98fd-4068-b62a-bc89a046c012 |

## Technical data

|                        |                                                                                            |         |                                             |
|------------------------|--------------------------------------------------------------------------------------------|---------|---------------------------------------------|
| Description of article | Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup> | Version | Mechanical, without interchangeable inserts |
|------------------------|--------------------------------------------------------------------------------------------|---------|---------------------------------------------|

## Description of contact

|                                   |                                                |                                   |                     |
|-----------------------------------|------------------------------------------------|-----------------------------------|---------------------|
| Type of contact                   | Wire-end ferrules with/without plastic collars | Conductor cross-section, max. AWG | AWG 16              |
| Conductor cross-section, min. AWG | AWG 26                                         | Crimping range, max.              | 1.5 mm <sup>2</sup> |
| Crimping range, min.              | 0.14 mm <sup>2</sup>                           |                                   |                     |

## tool data crimping

|                                       |                     |                                       |                      |
|---------------------------------------|---------------------|---------------------------------------|----------------------|
| Wire end ferrules cross-section, max. | 1.5 mm <sup>2</sup> | Wire end ferrules cross-section, min. | 0.14 mm <sup>2</sup> |
| Crimping type/profile                 | Trapezoidal crimp   |                                       |                      |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0    | EC000168    |
| ETIM 8.0    | EC000168    | ETIM 9.0    | EC000168    |
| ETIM 10.0   | EC000168    | ECLASS 9.0  | 21-04-38-11 |
| ECLASS 9.1  | 21-04-38-11 | ECLASS 10.0 | 21-04-38-11 |
| ECLASS 11.0 | 21-04-38-11 | ECLASS 12.0 | 21-04-38-11 |
| ECLASS 13.0 | 21-04-38-11 | ECLASS 14.0 | 21-04-38-11 |
| ECLASS 15.0 | 21-04-38-11 |             |             |

**PZ 1.5 ZERT**
**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)
**Accessories**
**in multipack bag**


- In multi-pack bag
- Weidmüller colour code

**General ordering data**

|            |                            |                                                 |
|------------|----------------------------|-------------------------------------------------|
| Type       | H1,5/17,5X SW SV           | Version                                         |
| Order No.  | <a href="#">9006590000</a> | Wire-end ferrule, Standard, 13 mm, 8 mm, black  |
| GTIN (EAN) | 4008190332259              |                                                 |
| Qty.       | 100 ST                     |                                                 |
| Type       | H1,5/19,5X SW SV           | Version                                         |
| Order No.  | <a href="#">9006630000</a> | Wire-end ferrule, Standard, 15 mm, 10 mm, black |
| GTIN (EAN) | 4008190332266              |                                                 |
| Qty.       | 100 ST                     |                                                 |

**supplied loose in polybag**


- In multi-pack bag
- Weidmüller colour code

**General ordering data**

|            |                            |                                                   |
|------------|----------------------------|---------------------------------------------------|
| Type       | H1,5/24 XS SW              | Version                                           |
| Order No.  | <a href="#">9202870000</a> | Wire-end ferrule, Standard, 18 mm, 14.5 mm, black |
| GTIN (EAN) | 4032248517947              |                                                   |
| Qty.       | 100 ST                     |                                                   |

**Conductor nom. cross-section 0.14mm<sup>2</sup>**


- Weidmüller colour code
- in multipack bag ( 5 x 100 pcs.)

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                               |
|------------|----------------------------|-----------------------------------------------|
| Type       | H0,14/10 GR SV             | Version                                       |
| Order No.  | <a href="#">9005180000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, grey  |
| GTIN (EAN) | 4008190859909              |                                               |
| Qty.       | 500 ST                     |                                               |
| Type       | H0,14/10T BR SV            | Version                                       |
| Order No.  | <a href="#">9028250000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, brown |
| GTIN (EAN) | 4008190902018              |                                               |
| Qty.       | 500 ST                     |                                               |
| Type       | H0,14/12 GR SV             | Version                                       |
| Order No.  | <a href="#">9028240000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, grey |
| GTIN (EAN) | 4008190902001              |                                               |
| Qty.       | 500 ST                     |                                               |

## Multi-bag

- Weidmüller colour code
- in multipack bag (5 x 100 pcs.)



## General ordering data

|            |                            |                                                     |
|------------|----------------------------|-----------------------------------------------------|
| Type       | H0,25/10 HBL SV            | Version                                             |
| Order No.  | <a href="#">9026050000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, Light Blue  |
| GTIN (EAN) | 4008190138288              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/10T GE SV            | Version                                             |
| Order No.  | <a href="#">9021210000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, yellow      |
| GTIN (EAN) | 4008190045555              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/12 HBL SV            | Version                                             |
| Order No.  | <a href="#">9025780000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue |
| GTIN (EAN) | 4008190053239              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/12T GE SV            | Version                                             |
| Order No.  | <a href="#">9021220000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow     |
| GTIN (EAN) | 4008190153786              |                                                     |
| Qty.       | 500 ST                     |                                                     |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code

## General ordering data

|            |                            |                                                     |
|------------|----------------------------|-----------------------------------------------------|
| Type       | H0,25/10 HBL               | Version                                             |
| Order No.  | <a href="#">9025740000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, Light Blue  |
| GTIN (EAN) | 4008190092054              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/10T GE               | Version                                             |
| Order No.  | <a href="#">9021010000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, yellow      |
| GTIN (EAN) | 4008190109103              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/12 HBL               | Version                                             |
| Order No.  | <a href="#">9025760000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue |
| GTIN (EAN) | 4008190010027              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,25/12T GE               | Version                                             |
| Order No.  | <a href="#">9021020000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow     |
| GTIN (EAN) | 4008190184230              |                                                     |
| Qty.       | 500 ST                     |                                                     |

## Multi-bag



- in multipack bag (5 x 100 pcs.)
- Weidmüller colour code

## General ordering data

|            |                            |                                                    |
|------------|----------------------------|----------------------------------------------------|
| Type       | H0,34/10 TK SV             | Version                                            |
| Order No.  | <a href="#">9026030000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, Turquoise  |
| GTIN (EAN) | 4008190177171              |                                                    |
| Qty.       | 500 ST                     |                                                    |
| Type       | H0,34/12 TK SV             | Version                                            |
| Order No.  | <a href="#">9025790000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Turquoise |
| GTIN (EAN) | 4008190121174              |                                                    |
| Qty.       | 500 ST                     |                                                    |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag




- supplied loose in polybag
- Weidmüller colour code

## General ordering data

|            |                            |                                                    |  |
|------------|----------------------------|----------------------------------------------------|--|
| Type       | H0,34/10 TK                | Version                                            |  |
| Order No.  | <a href="#">9025750000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, Turquoise  |  |
| GTIN (EAN) | 4008190105365              |                                                    |  |
| Qty.       | 500 ST                     |                                                    |  |
| Type       | H0,34/12 TK                | Version                                            |  |
| Order No.  | <a href="#">9025770000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Turquoise |  |
| GTIN (EAN) | 4008190067960              |                                                    |  |
| Qty.       | 500 ST                     |                                                    |  |

## Strip of wire end ferrules on reel



- strip of wire end ferrules on reel (5,000 pcs.)
- Weidmüller colour code

## General ordering data

|            |                            |                                                    |  |
|------------|----------------------------|----------------------------------------------------|--|
| Type       | H0,34/12 TK BD GSP         | Version                                            |  |
| Order No.  | <a href="#">9004390000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Turquoise |  |
| GTIN (EAN) | 4008190881016              |                                                    |  |
| Qty.       | 5000 ST                    |                                                    |  |

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                                  |
|------------|----------------------------|--------------------------------------------------|
| Type       | H0,5/12 OR SV              | Version                                          |
| Order No.  | <a href="#">9028260000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, orange   |
| GTIN (EAN) | 4008190902025              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/14 OR SV              | Version                                          |
| Order No.  | <a href="#">9026060000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, orange  |
| GTIN (EAN) | 4008190122201              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/14D W SV              | Version                                          |
| Order No.  | <a href="#">9019400000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white   |
| GTIN (EAN) | 4008190066024              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/16 OR SV              | Version                                          |
| Order No.  | <a href="#">9028270000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, orange |
| GTIN (EAN) | 4008190902049              |                                                  |
| Qty.       | 500 ST                     |                                                  |

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                  |
|------------|----------------------------|--------------------------------------------------|
| Type       | H0,5/12 OR                 | Version                                          |
| Order No.  | <a href="#">0409500000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, orange   |
| GTIN (EAN) | 4008190090456              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/12D W                 | Version                                          |
| Order No.  | <a href="#">9019000000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, white    |
| GTIN (EAN) | 4008190085728              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/14 OR                 | Version                                          |
| Order No.  | <a href="#">0690700000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, orange  |
| GTIN (EAN) | 4008190015770              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/14D W                 | Version                                          |
| Order No.  | <a href="#">9019010000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white   |
| GTIN (EAN) | 4008190120931              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/16 OR                 | Version                                          |
| Order No.  | <a href="#">9025870000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, orange |
| GTIN (EAN) | 4008190025045              |                                                  |
| Qty.       | 500 ST                     |                                                  |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                  |
|------------|----------------------------|--------------------------------------------------|
| Type       | H0,5/16D W                 | Version                                          |
| Order No.  | <a href="#">9019020000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, white  |
| GTIN (EAN) | 4008190047108              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/18 OR                 | Version                                          |
| Order No.  | <a href="#">1076980000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, orange |
| GTIN (EAN) | 4032248834631              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H0,5/18D W                 | Version                                          |
| Order No.  | <a href="#">1076990000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, white  |
| GTIN (EAN) | 4032248834624              |                                                  |
| Qty.       | 500 ST                     |                                                  |

## Strip of wire end ferrules on reel



- Linked wire-end ferrules on reel (5,000 pcs.)
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                 |
|------------|----------------------------|-------------------------------------------------|
| Type       | H0,5/14 OR BD GSP          | Version                                         |
| Order No.  | <a href="#">9005810000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, orange |
| GTIN (EAN) | 4008190275877              |                                                 |
| Qty.       | 5000 ST                    |                                                 |
| Type       | H0,5/14D W BD GSP          | Version                                         |
| Order No.  | <a href="#">9005860000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white  |
| GTIN (EAN) | 4008190275921              |                                                 |
| Qty.       | 5000 ST                    |                                                 |

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                               |
|------------|----------------------------|-----------------------------------------------|
| Type       | H0,75/12 W SV              | Version                                       |
| Order No.  | <a href="#">9028280000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, white |
| GTIN (EAN) | 4008190902216              |                                               |
| Qty.       | 500 ST                     |                                               |



## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                     |
|------------|----------------------------|-----------------------------------------------------|
| Type       | H0,75/14 W SV              | Version                                             |
| Order No.  | <a href="#">9026070000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white      |
| GTIN (EAN) | 4008190187163              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,75/14D GR SV            | Version                                             |
| Order No.  | <a href="#">9019410000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, grey       |
| GTIN (EAN) | 4008190164096              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,75/14T HBL SV           | Version                                             |
| Order No.  | <a href="#">9021230000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue |
| GTIN (EAN) | 4008190153106              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,75/16 W SV              | Version                                             |
| Order No.  | <a href="#">9028290000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, white     |
| GTIN (EAN) | 4008190902056              |                                                     |
| Qty.       | 500 ST                     |                                                     |
| Type       | H0,75/18 W SV              | Version                                             |
| Order No.  | <a href="#">9028300000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, white     |
| GTIN (EAN) | 4008190902063              |                                                     |
| Qty.       | 500 ST                     |                                                     |

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                    |
|------------|----------------------------|----------------------------------------------------|
| Type       | H0,75/12 W                 | Version                                            |
| Order No.  | <a href="#">0409600000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, white      |
| GTIN (EAN) | 4008190079826              |                                                    |
| Qty.       | 500 ST                     |                                                    |
| Type       | H0,75/12D GR               | Version                                            |
| Order No.  | <a href="#">9019030000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, grey       |
| GTIN (EAN) | 4008190127787              |                                                    |
| Qty.       | 500 ST                     |                                                    |
| Type       | H0,75/12T HBL              | Version                                            |
| Order No.  | <a href="#">9021030000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, Light Blue |
| GTIN (EAN) | 4008190152901              |                                                    |
| Qty.       | 500 ST                     |                                                    |
| Type       | H0,75/14 W                 | Version                                            |
| Order No.  | <a href="#">0462900000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white     |
| GTIN (EAN) | 4008190033248              |                                                    |
| Qty.       | 500 ST                     |                                                    |

## PZ 1.5 ZERT

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Accessories

|            |                            |                                                      |
|------------|----------------------------|------------------------------------------------------|
| Type       | H0,75/14D GR               | Version                                              |
| Order No.  | <a href="#">9019040000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, grey        |
| GTIN (EAN) | 4008190099077              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/16 W                 | Version                                              |
| Order No.  | <a href="#">9025860000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, white      |
| GTIN (EAN) | 4008190141967              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/16D GR               | Version                                              |
| Order No.  | <a href="#">9019050000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, grey       |
| GTIN (EAN) | 4008190033002              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/16T HBL              | Version                                              |
| Order No.  | <a href="#">9021050000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, Light Blue |
| GTIN (EAN) | 4008190096175              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/18 W                 | Version                                              |
| Order No.  | <a href="#">9025910000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, white      |
| GTIN (EAN) | 4008190063702              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/18D GR               | Version                                              |
| Order No.  | <a href="#">9019060000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, grey       |
| GTIN (EAN) | 4008190049560              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/18T HBL              | Version                                              |
| Order No.  | <a href="#">9021060000</a> | Wire-end ferrule, Standard, 14 mm, 12 mm, Light Blue |
| GTIN (EAN) | 4008190071158              |                                                      |
| Qty.       | 500 ST                     |                                                      |
| Type       | H0,75/14T HBL              | Version                                              |
| Order No.  | <a href="#">9021040000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue  |
| GTIN (EAN) | 4008190083168              |                                                      |
| Qty.       | 500 ST                     |                                                      |

## Strip of wire end ferrules on reel



- Linked wire-end ferrules on reel (5,000 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                |
|------------|----------------------------|------------------------------------------------|
| Type       | H0,75/14 W BD GSP          | Version                                        |
| Order No.  | <a href="#">9005820000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white |
| GTIN (EAN) | 4008190275884              |                                                |
| Qty.       | 5000 ST                    |                                                |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                     |
|------------|----------------------------|-----------------------------------------------------|
| Type       | H0,75/14D GR BD GSP        | Version                                             |
| Order No.  | <a href="#">9005870000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, grey       |
| GTIN (EAN) | 4008190275938              |                                                     |
| Qty.       | 5000 ST                    |                                                     |
| Type       | H0,75/14T BL BD GSP        | Version                                             |
| Order No.  | <a href="#">9005900000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue |
| GTIN (EAN) | 4008190275969              |                                                     |
| Qty.       | 5000 ST                    |                                                     |

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                  |
|------------|----------------------------|--------------------------------------------------|
| Type       | H1,0/12 GE SV              | Version                                          |
| Order No.  | <a href="#">9028310000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, yellow   |
| GTIN (EAN) | 4008190902070              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/14 GE SV              | Version                                          |
| Order No.  | <a href="#">9026080000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow  |
| GTIN (EAN) | 4008190026158              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/14D R SV              | Version                                          |
| Order No.  | <a href="#">9019420000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red     |
| GTIN (EAN) | 4008190189099              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/16 GE SV              | Version                                          |
| Order No.  | <a href="#">9028320000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, yellow |
| GTIN (EAN) | 4008190902087              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/18 GE SV              | Version                                          |
| Order No.  | <a href="#">9028340000</a> | Wire-end ferrule, Standard, 15 mm, 12 mm, yellow |
| GTIN (EAN) | 4008190902100              |                                                  |
| Qty.       | 500 ST                     |                                                  |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                  |
|------------|----------------------------|--------------------------------------------------|
| Type       | H1,0/12 GE                 | Version                                          |
| Order No.  | <a href="#">0409700000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, yellow   |
| GTIN (EAN) | 4008190152222              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/12D R                 | Version                                          |
| Order No.  | <a href="#">9019070000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, red      |
| GTIN (EAN) | 4008190029074              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/14 GE                 | Version                                          |
| Order No.  | <a href="#">0463000000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow  |
| GTIN (EAN) | 4008190024697              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/14D R                 | Version                                          |
| Order No.  | <a href="#">9019080000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red     |
| GTIN (EAN) | 4008190090623              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/16 GE                 | Version                                          |
| Order No.  | <a href="#">9025950000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, yellow |
| GTIN (EAN) | 4008190037291              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/16D R                 | Version                                          |
| Order No.  | <a href="#">9019100000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, red    |
| GTIN (EAN) | 4008190159986              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/18 GE                 | Version                                          |
| Order No.  | <a href="#">9025930000</a> | Wire-end ferrule, Standard, 15 mm, 12 mm, yellow |
| GTIN (EAN) | 4008190101497              |                                                  |
| Qty.       | 500 ST                     |                                                  |
| Type       | H1,0/18D R                 | Version                                          |
| Order No.  | <a href="#">9019110000</a> | Wire-end ferrule, Standard, 15 mm, 12 mm, red    |
| GTIN (EAN) | 4008190174828              |                                                  |
| Qty.       | 500 ST                     |                                                  |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Strip of wire end ferrules on reel



- Linked wire-end ferrules on reel (5,000 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                 |
|------------|----------------------------|-------------------------------------------------|
| Type       | H1,0/14 GE BD GSP          | Version                                         |
| Order No.  | <a href="#">9005830000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow |
| GTIN (EAN) | 4008190275891              |                                                 |
| Qty.       | 5000 ST                    |                                                 |
| Type       | H1,0/14D R BD GSP          | Version                                         |
| Order No.  | <a href="#">9005880000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red    |
| GTIN (EAN) | 4008190275945              |                                                 |
| Qty.       | 5000 ST                    |                                                 |

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                |
|------------|----------------------------|------------------------------------------------|
| Type       | H1,5/14 R SV               | Version                                        |
| Order No.  | <a href="#">9026090000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red   |
| GTIN (EAN) | 4008190137168              |                                                |
| Qty.       | 500 ST                     |                                                |
| Type       | H1,5/14D SW SV             | Version                                        |
| Order No.  | <a href="#">9019430000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, black |
| GTIN (EAN) | 4008190107420              |                                                |
| Qty.       | 500 ST                     |                                                |
| Type       | H1,5/16 R SV               | Version                                        |
| Order No.  | <a href="#">9028350000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, red  |
| GTIN (EAN) | 4008190902117              |                                                |
| Qty.       | 500 ST                     |                                                |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag




- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                 |
|------------|----------------------------|-------------------------------------------------|
| Type       | H1,5/14 R                  | Version                                         |
| Order No.  | <a href="#">0463100000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red    |
| GTIN (EAN) | 4008190065089              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/14D SW                | Version                                         |
| Order No.  | <a href="#">9019120000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, black  |
| GTIN (EAN) | 4008190153793              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/16 R                  | Version                                         |
| Order No.  | <a href="#">0635100000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, red   |
| GTIN (EAN) | 4008190141745              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/16D SW                | Version                                         |
| Order No.  | <a href="#">9019130000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, black |
| GTIN (EAN) | 4008190023331              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/18D SW                | Version                                         |
| Order No.  | <a href="#">9019140000</a> | Wire-end ferrule, Standard, 15 mm, 12 mm, black |
| GTIN (EAN) | 4008190046026              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/24 R                  | Version                                         |
| Order No.  | <a href="#">0565600000</a> | Wire-end ferrule, Standard, 20 mm, 18 mm, red   |
| GTIN (EAN) | 4008190187071              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/24D SW                | Version                                         |
| Order No.  | <a href="#">9019150000</a> | Wire-end ferrule, Standard, 20 mm, 18 mm, black |
| GTIN (EAN) | 4008190151676              |                                                 |
| Qty.       | 500 ST                     |                                                 |

## Strip of wire end ferrules on reel



- Linked wire-end ferrules on reel (5,000 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                                |
|------------|----------------------------|------------------------------------------------|
| Type       | H1,5/14 R BD GSP           | Version                                        |
| Order No.  | <a href="#">9005840000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red   |
| GTIN (EAN) | 4008190275907              |                                                |
| Qty.       | 5000 ST                    |                                                |
| Type       | H1,5/14D SW BD GSP         | Version                                        |
| Order No.  | <a href="#">9005890000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, black |
| GTIN (EAN) | 4008190275952              |                                                |
| Qty.       | 5000 ST                    |                                                |
| Type       | H1,5/14S GN BD GSP         | Version                                        |
| Order No.  | <a href="#">9028370000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, green |
| GTIN (EAN) | 4032248318537              |                                                |
| Qty.       | 5000 ST                    |                                                |

## Multi-bag



- Polypropylene conical cable entry funnel
  - Heat-resistant up to 105°C
- For conductors from 0.5 – 10.0 mm<sup>2</sup> (AWG 20-7)  
Material: E-Cu, tin galvanised  
Dimensional tolerance acc. to DIN 46228 sect. 4

## General ordering data

|            |                            |                                                 |
|------------|----------------------------|-------------------------------------------------|
| Type       | H0,75/14S W SV             | Version                                         |
| Order No.  | <a href="#">9025700000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white  |
| GTIN (EAN) | 4008190144104              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,0/14S GE SV             | Version                                         |
| Order No.  | <a href="#">9025710000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow |
| GTIN (EAN) | 4008190031442              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/14DS SW SV            | Version                                         |
| Order No.  | <a href="#">9028360000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, black  |
| GTIN (EAN) | 4032248023219              |                                                 |
| Qty.       | 500 ST                     |                                                 |
| Type       | H1,5/14S R SV              | Version                                         |
| Order No.  | <a href="#">9025720000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red    |
| GTIN (EAN) | 4008190072681              |                                                 |
| Qty.       | 500 ST                     |                                                 |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## supplied loose in polybag



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                            |
|------------|----------------------------|------------------------------------------------------------|
| Type       | H0,5/16S OR                | Version                                                    |
| Order No.  | <a href="#">9202900000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, orange           |
| GTIN (EAN) | 4032248519026              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,34/11 S TK              | Version                                                    |
| Order No.  | <a href="#">9204090000</a> | Wire-end ferrule, Standard, 6 mm, 6 mm, Turquoise          |
| GTIN (EAN) | 4032248593026              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,5/14S OR                | Version                                                    |
| Order No.  | <a href="#">9004560000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, orange            |
| GTIN (EAN) | 4008190286132              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,5/14S W                 | Version                                                    |
| Order No.  | <a href="#">9004590000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white             |
| GTIN (EAN) | 4008190862060              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,5/16 DS W               | Version                                                    |
| Order No.  | <a href="#">9202910000</a> | Wire-end ferrule, Standard, 12 mm, 10 mm, white            |
| GTIN (EAN) | 4032248519019              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,75/14DS GR              | Version                                                    |
| Order No.  | <a href="#">9028580000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, grey              |
| GTIN (EAN) | 4032248159475              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,75/14S W                | Version                                                    |
| Order No.  | <a href="#">9025960000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, white             |
| GTIN (EAN) | 4008190009878              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,75/14TS HBL             | Version                                                    |
| Order No.  | <a href="#">9018550000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, Light Blue        |
| GTIN (EAN) | 4008190207991              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H0,75/15S W                | Version                                                    |
| Order No.  | <a href="#">9204240000</a> | Wire-end ferrule, Standard, 10 mm, 9 mm, Light Blue, white |
| GTIN (EAN) | 4032248621545              |                                                            |
| Qty.       | 500 ST                     |                                                            |
| Type       | H1,0/14S GE                | Version                                                    |
| Order No.  | <a href="#">9025970000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, yellow            |
| GTIN (EAN) | 4008190063733              |                                                            |
| Qty.       | 500 ST                     |                                                            |



## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                |
|------------|----------------------------|------------------------------------------------|
| Type       | H1,0/14S R                 | Version                                        |
| Order No.  | <a href="#">9018560000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red   |
| GTIN (EAN) | 4008190207984              |                                                |
| Qty.       | 500 ST                     |                                                |
| Type       | H1,5/12S R                 | Version                                        |
| Order No.  | <a href="#">9025690000</a> | Wire-end ferrule, Standard, 8 mm, 6 mm, red    |
| GTIN (EAN) | 4008190059439              |                                                |
| Qty.       | 500 ST                     |                                                |
| Type       | H1,5/14S R                 | Version                                        |
| Order No.  | <a href="#">9025980000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, red   |
| GTIN (EAN) | 4008190080730              |                                                |
| Qty.       | 500 ST                     |                                                |
| Type       | H1,5/14DS SW               | Version                                        |
| Order No.  | <a href="#">9025240000</a> | Wire-end ferrule, Standard, 10 mm, 8 mm, black |
| GTIN (EAN) | 4008190085599              |                                                |
| Qty.       | 500 ST                     |                                                |

## Nominal conductor cross-section 0.25 mm² - 6.0 mm²



For conductors from 0.25 to 6,0 mm² (AWG 24 - 10)  
 tin-plated copper  
 dimensional tolerances to DIN 46228 part 1  
 • supplied loose in polybag

## General ordering data

|            |                            |                                              |
|------------|----------------------------|----------------------------------------------|
| Type       | H0,25/5                    | Version                                      |
| Order No.  | <a href="#">9018910000</a> | Wire-end ferrule, Standard, 5 mm, 5 mm, No   |
| GTIN (EAN) | 4008190068134              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H0,5/10                    | Version                                      |
| Order No.  | <a href="#">9004050000</a> | Wire-end ferrule, Standard, 10 mm, 10 mm, No |
| GTIN (EAN) | 4008190153052              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H0,5/6                     | Version                                      |
| Order No.  | <a href="#">0282600000</a> | Wire-end ferrule, Standard, 6 mm, 6 mm, No   |
| GTIN (EAN) | 4008190184025              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H0,75/10                   | Version                                      |
| Order No.  | <a href="#">0542500000</a> | Wire-end ferrule, Standard, 10 mm, 10 mm, No |
| GTIN (EAN) | 4008190037482              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H0,75/6                    | Version                                      |
| Order No.  | <a href="#">0282700000</a> | Wire-end ferrule, Standard, 6 mm, 6 mm, No   |
| GTIN (EAN) | 4008190019013              |                                              |
| Qty.       | 1000 ST                    |                                              |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                              |
|------------|----------------------------|----------------------------------------------|
| Type       | H1,0/10                    | Version                                      |
| Order No.  | <a href="#">0282800000</a> | Wire-end ferrule, Standard, 10 mm, 10 mm, No |
| GTIN (EAN) | 4008190006662              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H1,0/6                     | Version                                      |
| Order No.  | <a href="#">0372600000</a> | Wire-end ferrule, Standard, 6 mm, 6 mm, No   |
| GTIN (EAN) | 4008190180263              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H1,5/10                    | Version                                      |
| Order No.  | <a href="#">0186500000</a> | Wire-end ferrule, Standard, 10 mm, 10 mm, No |
| GTIN (EAN) | 4008190039592              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H1,5/12                    | Version                                      |
| Order No.  | <a href="#">9004060000</a> | Wire-end ferrule, Standard, 12 mm, 12 mm, No |
| GTIN (EAN) | 4008190147938              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H1,5/18                    | Version                                      |
| Order No.  | <a href="#">9004070000</a> | Wire-end ferrule, Standard, 18 mm, 18 mm, No |
| GTIN (EAN) | 4008190105761              |                                              |
| Qty.       | 1000 ST                    |                                              |
| Type       | H1,5/7                     | Version                                      |
| Order No.  | <a href="#">0372700000</a> | Wire-end ferrule, Standard, 7 mm, 7 mm, No   |
| GTIN (EAN) | 4008190064525              |                                              |
| Qty.       | 1000 ST                    |                                              |

## Multi-bag



- in multipack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                              |
|------------|----------------------------|--------------------------------------------------------------|
| Type       | H0,5/14 ZH OR SV           | Version                                                      |
| Order No.  | <a href="#">9004440000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, orange |
| GTIN (EAN) | 4008190198473              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H0,5/14D ZH W SV           | Version                                                      |
| Order No.  | <a href="#">9004780000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, white  |
| GTIN (EAN) | 4008190188481              |                                                              |
| Qty.       | 500 ST                     |                                                              |

## PZ 1.5 ZERT

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                               |
|------------|----------------------------|---------------------------------------------------------------|
| Type       | H0,5/14 ZH OR              | Version                                                       |
| Order No.  | <a href="#">9037200000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, orange  |
| GTIN (EAN) | 4008190492397              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H0,5/14D ZH W              | Version                                                       |
| Order No.  | <a href="#">9037380000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, white   |
| GTIN (EAN) | 4008190492861              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H0,5/16 ZH OR              | Version                                                       |
| Order No.  | <a href="#">9037210000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, orange |
| GTIN (EAN) | 4008190492687              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H0,5/16D ZH W              | Version                                                       |
| Order No.  | <a href="#">9037390000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, white  |
| GTIN (EAN) | 4008190492878              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H0,5/18 ZH OR              | Version                                                       |
| Order No.  | <a href="#">9037220000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, orange |
| GTIN (EAN) | 4008190492694              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H0,5/18D ZH W              | Version                                                       |
| Order No.  | <a href="#">9037400000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, white  |
| GTIN (EAN) | 4008190492892              |                                                               |
| Qty.       | 500 ST                     |                                                               |

## Multi-bag



- in multipack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                                                   |
|------------|----------------------------|-------------------------------------------------------------------|
| Type       | H0,75/14 ZH W SV           | Version                                                           |
| Order No.  | <a href="#">9018510000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, white       |
| GTIN (EAN) | 4008190019914              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/14D ZH GR SV         | Version                                                           |
| Order No.  | <a href="#">9018520000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, grey        |
| GTIN (EAN) | 4008190097998              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/15T ZH BL SV         | Version                                                           |
| Order No.  | <a href="#">9018570000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, Light Blue  |
| GTIN (EAN) | 4008190272630              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/16 ZH W SV           | Version                                                           |
| Order No.  | <a href="#">9004900000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, white      |
| GTIN (EAN) | 4008190482671              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/16D ZH GR SV         | Version                                                           |
| Order No.  | <a href="#">9004770000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, grey       |
| GTIN (EAN) | 4008190038816              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/16T ZH HBL SV        | Version                                                           |
| Order No.  | <a href="#">9005140000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, Light Blue |
| GTIN (EAN) | 4008190482725              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |

## packed loose in polythene bag



For the following conductors: 2 No. 0.75 mm<sup>2</sup> (2 No. AWG 18)

- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code
- other colour code

## General ordering data

|            |                            |                                                                  |
|------------|----------------------------|------------------------------------------------------------------|
| Type       | H0,75/14 ZH W              | Version                                                          |
| Order No.  | <a href="#">9037230000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, white      |
| GTIN (EAN) | 4008190853976              |                                                                  |
| Qty.       | 500 ST                     |                                                                  |
| Type       | H0,75/14D ZH GR            | Version                                                          |
| Order No.  | <a href="#">9037410000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, grey       |
| GTIN (EAN) | 4008190492984              |                                                                  |
| Qty.       | 500 ST                     |                                                                  |
| Type       | H0,75/14T ZH HBL           | Version                                                          |
| Order No.  | <a href="#">9037610000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, Light Blue |
| GTIN (EAN) | 4008190493233              |                                                                  |
| Qty.       | 500 ST                     |                                                                  |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                                   |
|------------|----------------------------|-------------------------------------------------------------------|
| Type       | H0,75/16 ZH W              | Version                                                           |
| Order No.  | <a href="#">9037240000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, white      |
| GTIN (EAN) | 4008190492717              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/16D ZH GR            | Version                                                           |
| Order No.  | <a href="#">9037420000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, grey       |
| GTIN (EAN) | 4008190492991              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/16T ZH HBL           | Version                                                           |
| Order No.  | <a href="#">9037620000</a> | Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, Light Blue |
| GTIN (EAN) | 4008190493264              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |

## supplied loose in polybag



- Polypropylene conical cable entry funnel
  - Heat-resistant up to 105°C
- For conductors from 0.5 – 10.0 mm<sup>2</sup> (AWG 20-7)  
Material: E-Cu, tin galvanised  
Dimensional tolerance acc. to DIN 46228 sect. 4

## General ordering data

|            |                            |                                                                   |
|------------|----------------------------|-------------------------------------------------------------------|
| Type       | H0,75/19DS ZH GR           | Version                                                           |
| Order No.  | <a href="#">9202830000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, grey       |
| GTIN (EAN) | 4032248515776              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/19S ZH W             | Version                                                           |
| Order No.  | <a href="#">9202820000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, white      |
| GTIN (EAN) | 4032248515769              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/19TS ZH HBL          | Version                                                           |
| Order No.  | <a href="#">9202840000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, Light Blue |
| GTIN (EAN) | 4032248515783              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |

## packed loose in polythene bag



For the following conductors: 2 No. 0.75 mm<sup>2</sup> (2 No. AWG 18)

- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code
- other colour code

## PZ 1.5 ZERT

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                                                   |
|------------|----------------------------|-------------------------------------------------------------------|
| Type       | H0,75/24 ZH W              | Version                                                           |
| Order No.  | <a href="#">9037250000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 18 mm, white      |
| GTIN (EAN) | 4008190492724              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/24D ZH GR            | Version                                                           |
| Order No.  | <a href="#">9037430000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 18 mm, grey       |
| GTIN (EAN) | 4008190493004              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |
| Type       | H0,75/24T ZH HBL           | Version                                                           |
| Order No.  | <a href="#">9037630000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 18 mm, Light Blue |
| GTIN (EAN) | 4008190493271              |                                                                   |
| Qty.       | 500 ST                     |                                                                   |

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                               |
|------------|----------------------------|---------------------------------------------------------------|
| Type       | H1,0/15 ZH GE SV           | Version                                                       |
| Order No.  | <a href="#">9018530000</a> | Wire-end ferrule, Twin wire-end ferrule, 12 mm, 8 mm, yellow  |
| GTIN (EAN) | 4008190066925              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/15D ZH R SV           | Version                                                       |
| Order No.  | <a href="#">9018540000</a> | Wire-end ferrule, Twin wire-end ferrule, 12 mm, 8 mm, red     |
| GTIN (EAN) | 4008190188832              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/15S ZH GE SV          | Version                                                       |
| Order No.  | <a href="#">9018650000</a> | Wire-end ferrule, Twin wire-end ferrule, 12 mm, 8 mm, yellow  |
| GTIN (EAN) | 4032248011407              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/19 ZH GE SV           | Version                                                       |
| Order No.  | <a href="#">9004910000</a> | Wire-end ferrule, Twin wire-end ferrule, 16 mm, 12 mm, yellow |
| GTIN (EAN) | 4008190482688              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/19D ZH R SV           | Version                                                       |
| Order No.  | <a href="#">9004760000</a> | Wire-end ferrule, Twin wire-end ferrule, 16 mm, 12 mm, red    |
| GTIN (EAN) | 4008190160951              |                                                               |
| Qty.       | 500 ST                     |                                                               |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                              |
|------------|----------------------------|--------------------------------------------------------------|
| Type       | H1,0/15 ZH GE              | Version                                                      |
| Order No.  | <a href="#">9037260000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, yellow |
| GTIN (EAN) | 4008190492731              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,0/15D ZH R              | Version                                                      |
| Order No.  | <a href="#">9037440000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, red    |
| GTIN (EAN) | 4008190493011              |                                                              |
| Qty.       | 500 ST                     |                                                              |

## supplied loose in polybag



- Polypropylene conical cable entry funnel
  - Heat-resistant up to 105°C
- For conductors from 0.5 – 10.0 mm<sup>2</sup> (AWG 20-7)  
Material: E-Cu, tin galvanised  
Dimensional tolerance acc. to DIN 46228 sect. 4

## General ordering data

|            |                            |                                                              |
|------------|----------------------------|--------------------------------------------------------------|
| Type       | H1,0/15S ZH GE             | Version                                                      |
| Order No.  | <a href="#">9018690000</a> | Wire-end ferrule, Twin wire-end ferrule, 12 mm, 8 mm, yellow |
| GTIN (EAN) | 4032248017720              |                                                              |
| Qty.       | 500 ST                     |                                                              |

## packed loose in polythene bag



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## General ordering data

|            |                            |                                                               |
|------------|----------------------------|---------------------------------------------------------------|
| Type       | H1,0/19 ZH GE              | Version                                                       |
| Order No.  | <a href="#">9037270000</a> | Wire-end ferrule, Twin wire-end ferrule, 16 mm, 12 mm, yellow |
| GTIN (EAN) | 4008190492748              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/19D ZH R              | Version                                                       |
| Order No.  | <a href="#">9037450000</a> | Wire-end ferrule, Twin wire-end ferrule, 16 mm, 12 mm, red    |
| GTIN (EAN) | 4008190493028              |                                                               |
| Qty.       | 500 ST                     |                                                               |

## supplied loose in polybag



- Polypropylene conical cable entry funnel
  - Heat-resistant up to 105°C
- For conductors from 0.5 – 10.0 mm<sup>2</sup> (AWG 20-7)  
Material: E-Cu, tin galvanised  
Dimensional tolerance acc. to DIN 46228 sect. 4

## General ordering data

|            |                            |                                                            |
|------------|----------------------------|------------------------------------------------------------|
| Type       | H1,0/22DS R ZH             | Version                                                    |
| Order No.  | <a href="#">9036330000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 14 mm, red |
| GTIN (EAN) | 4032248338566              |                                                            |
| Qty.       | 500 ST                     |                                                            |

## packed loose in polythene bag



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                               |
|------------|----------------------------|---------------------------------------------------------------|
| Type       | H1,0/25 ZH GE              | Version                                                       |
| Order No.  | <a href="#">9037280000</a> | Wire-end ferrule, Twin wire-end ferrule, 22 mm, 18 mm, yellow |
| GTIN (EAN) | 4008190492755              |                                                               |
| Qty.       | 500 ST                     |                                                               |
| Type       | H1,0/25D ZH R              | Version                                                       |
| Order No.  | <a href="#">9037460000</a> | Wire-end ferrule, Twin wire-end ferrule, 22 mm, 18 mm, red    |
| GTIN (EAN) | 4008190493035              |                                                               |
| Qty.       | 500 ST                     |                                                               |



## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Multi-bag



- in multi-pack bag (5 x 100 pcs.)
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                              |
|------------|----------------------------|--------------------------------------------------------------|
| Type       | H1,5/16 ZH R SV            | Version                                                      |
| Order No.  | <a href="#">9004410000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, red    |
| GTIN (EAN) | 4008190009397              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,5/16D ZH SW SV          | Version                                                      |
| Order No.  | <a href="#">9004420000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, black  |
| GTIN (EAN) | 4008190167455              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,5/20 ZH R SV            | Version                                                      |
| Order No.  | <a href="#">9004920000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, red   |
| GTIN (EAN) | 4008190482695              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,5/20D SW ZH SV          | Version                                                      |
| Order No.  | <a href="#">9004750000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, black |
| GTIN (EAN) | 4008190055431              |                                                              |
| Qty.       | 500 ST                     |                                                              |

## packed loose in polythene bag



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

## General ordering data

|            |                            |                                                             |
|------------|----------------------------|-------------------------------------------------------------|
| Type       | H1,5/16 ZH R               | Version                                                     |
| Order No.  | <a href="#">9037290000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, red   |
| GTIN (EAN) | 4008190492762              |                                                             |
| Qty.       | 500 ST                     |                                                             |
| Type       | H1,5/16D ZH SW             | Version                                                     |
| Order No.  | <a href="#">9037470000</a> | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, black |
| GTIN (EAN) | 4008190493042              |                                                             |
| Qty.       | 500 ST                     |                                                             |

## PZ 1.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold


Germany

www.weidmueller.com

## Accessories

|            |                            |                                                              |
|------------|----------------------------|--------------------------------------------------------------|
| Type       | H1,5/20 ZH R               | Version                                                      |
| Order No.  | <a href="#">9037300000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, red   |
| GTIN (EAN) | 4008190492779              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,5/20D ZH SW             | Version                                                      |
| Order No.  | <a href="#">9037480000</a> | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, black |
| GTIN (EAN) | 4008190493059              |                                                              |
| Qty.       | 500 ST                     |                                                              |
| Type       | H1,5/26 ZH R               | Version                                                      |
| Order No.  | <a href="#">9037310000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 18 mm, red   |
| GTIN (EAN) | 4008190492786              |                                                              |
| Qty.       | 100 ST                     |                                                              |
| Type       | H1,5/26D ZH SW             | Version                                                      |
| Order No.  | <a href="#">9037490000</a> | Wire-end ferrule, Twin wire-end ferrule, 21 mm, 18 mm, black |
| GTIN (EAN) | 4008190493066              |                                                              |
| Qty.       | 100 ST                     |                                                              |

## Replacement parts



After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

## General ordering data

|            |                            |                                 |
|------------|----------------------------|---------------------------------|
| Type       | ERTE GRIFFE PZ             | Version                         |
| Order No.  | <a href="#">9202810000</a> | Pressing tool, Replacement part |
| GTIN (EAN) | 4032248512577              |                                 |
| Qty.       | 1 ST                       |                                 |