

STRIPPER 6-16 RED-LINE

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No fanning-out of individual conductors
- Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- No play in self-adjusting cutting unit
- Long service life
- Optimised ergonomic design

General ordering data

| | |
|------------|----------------------------|
| Version | Stripping and cutting tool |
| Order No. | 9203110000 |
| Type | STRIPPER 6-16 RED-LINE |
| GTIN (EAN) | 4032248541423 |
| Qty. | 1 items |

STRIPPER 6-16 RED-LINE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|--------|----------------|-------------|
| Width | 166 mm | Width (inches) | 6.5354 inch |
| Net weight | 20 g | | |

Environmental Product Compliance

| | |
|------------------------|--------------------------------------|
| RoHS Compliance Status | Not affected |
| REACH SVHC | Lead 7439-92-1 |
| SCIP | cf06c250-ed1e-4a45-9c1b-c5c8cbf13bf0 |

Stripping tools

| | | | |
|-------------------------------|--------------------|-------------------------------|-------------------|
| Stripping range AWG, max. | 6 AWG | Stripping range AWG, min. | 10 AWG |
| Conductor cross-section, max. | 16 mm ² | Conductor cross-section, min. | 6 mm ² |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 8.0 | EC002109 | ETIM 9.0 | EC002109 |
| ETIM 10.0 | EC002109 | ECLASS 14.0 | 21-04-37-06 |
| ECLASS 15.0 | 21-04-37-06 | | |