

## VT CTB

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



The main function of the voltage tester is to establish if voltage is present. A 2-pole voltage tester is the only approved testing instrument that fulfils the requirements of work protection regulations.

- with LED-Display
- acc. to VDE standard
- high peak voltage strength
- the right tester for every application

### General ordering data

Version	Testing tools, 2-pole voltage tester
Order No.	<a href="#">9918970000</a>
Type	VT CTB
GTIN (EAN)	4032248405855
Qty.	1 items

## VT CTB

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Approvals

Approvals



ROHS Conform

## Dimensions and weights

Depth	19 mm	Depth (inches)	0.748 inch
Height	21 mm	Height (inches)	0.8268 inch
Width	137 mm	Width (inches)	5.3937 inch
Length	137 mm	Length (inches)	5.3937 inch
Net weight	50 g		

## Environmental Product Compliance

RoHS Compliance Status	Compliant
RoHS Exemption (if applicable/known)	7cl
REACH SVHC	No SVHC above 0.1 wt%
SCIP	b05b5 122-6117-4cb0-b28c-df32f921fa36

## Technical data

Description of article Voltage tester up to 48 V

## Measuring and testing devices

Load switchable	No	Rated voltage, max.	48 V DC
Rated voltage, min.	3 V DC	AC voltage measuring range	3-48 V
DC voltage measuring range	48 V	Working temperature, max.	50 °C
Working temperature, min.	-10 °C	Frequency range, max.	65 Hz
Frequency range, min.	0 Hz	Display	LED
Protection degree	IP40	Phase sequence display	No
Continuity test	No	Tested and approved according to	EN 61010-1, EN 61326
Test probe illumination	No	HOLD function	No

## Classifications

ETIM 8.0	EC000494	ETIM 9.0	EC000494
ETIM 10.0	EC000494	ECLASS 14.0	27-20-03-08
ECLASS 15.0	27-20-03-08		

**VT CTB**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

**Drawings**

[www.weidmueller.com](http://www.weidmueller.com)

