

VPN/-25**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Dati generali per l'ordinazione

Versione	Spine piatte, 25 mm², 25 mm², Nessuno
N. d'ordine	1498640000
Tipo	VPN/-25
GTIN (EAN)	4050118308013
CPZ	100 Pieza
Stato consegna	In futuro questo articolo non sarà più disponibile.
Disponibile fino a	2026-03-31T00:00:00+02:00

Dati tecnici

Omologazioni

ROHS	Conforme
------	----------

Dimensioni e pesi

Peso netto	18.79 g
------------	---------

Conformità ambientale del prodotto

Stato conformità RoHS	Conforme senza esenzione
REACH SVHC	No SVHC above 0.1 wt%


Giunti

Sezione di collegamento cavo, max.	25 mm ²	Sezione di collegamento cavo	25 mm ²
Isolamento	non presente	Diametro interno codolo (d1)	7 mm
Lunghezza 2 (l2)	16 mm	Diametro esterno codolo (d3)	10 mm
Lunghezza collegamento (l)	50 mm	Numero d'identificazione Cu	10 K

Classificazioni

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ETIM 8.0	EC001059	ETIM 9.0	EC001059
ETIM 10.0	EC001059	ECLASS 9.0	27-40-02-12
ECLASS 9.1	27-40-02-12	ECLASS 10.0	27-40-02-12
ECLASS 11.0	27-40-02-12	ECLASS 12.0	27-40-02-12
ECLASS 13.0	27-40-02-12	ECLASS 14.0	27-40-02-12
ECLASS 15.0	27-40-02-12		

Disegni



Accessori

Crimping tools



Crimping tools for non-insulated connectors
Rolled cable lugs, tubular cable lugs, terminal pins,
parallel and serial connectors

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

Dati generali per l'ordinazione

Tipo	CTN 25 D5	Versione
N. d'ordine	9006230000	Utensile di compressione, Pinza crimpatrice per contatti, 10mm ² ,
GTIN (EAN)	4008190198459	25mm ² , Crimpatura esagonale
CPZ	1 ST	

Pinza crimpatrice per capicorda tubolari (EN 13600) e a compressione (DIN 46235)



Crimping tools for tubular and compression cable lugs
with swivel crimping star.

- Integrated crimping star for different cross-sections
- Hexagon crimping tools for compression cable lugs
- WM-From crimping tools for tubular cable lugs
- wide processing range up to 70 or 120 mm²

Dati generali per l'ordinazione

Tipo	PZ PK 6/70	Versione
N. d'ordine	1500470000	6mm ² , 70mm ² , Crimpatura esagonale
GTIN (EAN)	4050118309263	
CPZ	1 ST	
Tipo	PZ PK 10/120	Versione
N. d'ordine	1500480000	10mm ² , 120mm ² , Crimpatura esagonale
GTIN (EAN)	4050118309089	
CPZ	1 ST	

VPN/-25

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessori

Utensili



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	EPG 45	Versione
N. d'ordine	1500830000	Utensile di compressione, 6mm ² , 150mm ² , Crimpatura esagonale,
GTIN (EAN)	4050118309317	Crimpatura a WM, Crimpatura dentellata, Crimpatura trapezoidale,
CPZ	1 ST	Crimpatura ovale

... per capicorda tubiformi (secondo EN 13600)



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	ES EPG 45 WM 25/50	Versione
N. d'ordine	1500880000	50mm ² , Crimpatura a WM
GTIN (EAN)	4050118309171	
CPZ	1 ST	

VPN/-25

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessori

... per capicorda a compressione (secondo DIN 46235)



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	ES EPG 45 HEX 25/50	Versione
N. d'ordine	1500970000	50mm ² , Crimpatura esagonale
GTIN (EAN)	4050118309195	
CPZ	1 ST	

Utensili



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts


- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	EPG 60	Versione
N. d'ordine	2453810000	Utensili di compressione, Utensili, Utensile di compressione, 6mm ² ,
GTIN (EAN)	4050118468434	300mm ² , Crimpatura esagonale, Crimpatura a WM, Crimpatura
CPZ	1 ST	dentellata, Crimpatura trapezoidale, Crimpatura ovale

Accessori

... per capicorda tubiformi




Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	ES EPG/HPG 60 WM 25	Versione
N. d'ordine	2469560000	Inserto pinza crimpatrice, 25mm ² , Crimpatura a WM
GTIN (EAN)	4050118483840	
CPZ	1 ST	

... per capicorda a compressione



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

Dati generali per l'ordinazione

Tipo	ES EPG/HPG 60 HEX 25	Versione
N. d'ordine	2505180000	Inserto pinza crimpatrice, 25mm ² , Crimpatura esagonale
GTIN (EAN)	4050118519570	
CPZ	1 ST	

Accessori

Utensili



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

Dati generali per l'ordinazione

Tipo	HPG 60	Versione
N. d'ordine	2453820000	6mm ² , 300mm ² , Crimpatura esagonale, Crimpatura a WM,
GTIN (EAN)	4050118468427	Crimpatura dentellata, Crimpatura trapezoidale, Crimpatura ovale
CPZ	1 ST	

Tipo	APG 80	Versione
N. d'ordine	1502390000	6mm ² , 400mm ²
GTIN (EAN)	4050118310627	
CPZ	1 ST	

... per capicorda tubiformi (secondo EN 13600)



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

Dati generali per l'ordinazione

Tipo	ES APG 80 WM 25	Versione
N. d'ordine	1502480000	25mm ² , Crimpatura a WM
GTIN (EAN)	4050118310634	
CPZ	1 ST	

Accessori**... per capicorda a compressione (secondo DIN 46235)**

Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

Dati generali per l'ordinazione

Tipo	ES APG 80 HEX 25	Versione
N. d'ordine	1502640000	25mm ² , Crimpatura esagonale
GTIN (EAN)	4050118310573	
CPZ	1 ST	