


SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

**Collegamento passante**

- Conversione PLC-5 1771 a connettore(i) innestabile(i)
- Schede da 10, 12, 18, 21 o 40 punti

Dati generali per l'ordinazione

N. d'ordine	6720001400
Tipo	SP-RS PLC PLC5 1771-WN 40CH
GTIN (EAN)	4050118765878
CPZ	1 Pieza

SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Dati tecnici**Omologazioni**

ROHS	Conforme
------	----------

Dimensioni e pesi

Profondità	142 mm	Profondità (pollici)	5.5905 inch
Posizione verticale	254 mm	Altezza (pollici)	10 inch
Larghezza	30 mm	Larghezza (pollici)	1.1811 inch
Peso netto	196 g		

Temperature

Temperatura di magazzinaggio	0...50 °C	Temperatura d'esercizio	0...50 °C
------------------------------	-----------	-------------------------	-----------

Conformità ambientale del prodotto

Stato conformità RoHS	Conforme senza esenzione
REACH SVHC	No SVHC superiori a 0,1 wt%

Classificazioni

ETIM 8.0	EC002780	ETIM 9.0	EC002780
ETIM 10.0	EC002780	ECLASS 14.0	27-14-11-52
ECLASS 15.0	27-14-11-52		

SP-RS PLC PLC5 1771-WN 40CH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

Disegni

www.weidmueller.com



The image shows a small, vertically oriented technical drawing or table of data. It is rotated 90 degrees counter-clockwise. The content is too small to read clearly, but it appears to be a structured list of parameters or specifications for the PLC model mentioned in the header.