

HDC KIT HE-P 24.130 M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com



HDC kits are standardized kits for assembling complete plug-in connectors.

The HDC kits normally consist of a male insert, a female insert, a plug housing, a bulkhead housing and a cable gland.

Weidmüller offers a range of standard connector combinations with metric or PG cable entry threads.

The PUSH IN connection is a direct-insert method of connection. The preprocessed wire can be inserted directly into the wire connection without the need for any tools.

General ordering data

| | |
|------------|---|
| Version | RockStar® HDC kits-Heavy-duty connectors, Kit, HE, Installation size: 8, Poles: 24, PUSH IN, 500 V, 16 A, diecast aluminium, M 32 |
| Order No. | 1061790000 |
| Type | HDC KIT HE-P 24.130 M |
| GTIN (EAN) | 4032248816477 |
| Qty. | 1 items |

HDC KIT HE-P 24.130 M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

Approvals



ROHS Conform

Dimensions and weights

Net weight 756.3 g

Temperatures

Limit temperature -40 °C ... 100 °C

Environmental Product Compliance

RoHS Compliance Status Compliant with exemption

RoHS Exemption (if applicable/known) 6c

REACH SVHC Lead 7439-92-1, Potassium perfluorobutane sulfonate 29420-49-3

SCIP bfb1c983-6f18-4ba4-8907-38aad6aee076

General data

Surface finish Powder coating Protection degree IP65
 Series HE

Version

Size of cable entries M 32 Number of cable entry on top 0
 Number of cable entry sideways 0 Type of connection PUSH IN
 Design of locking system Side-locking clamp on lower side Installation size 8
 Sealing NBR BG 8

General data

Number of poles 24 Connection type PE Screw connection
 Installation size 8 Cable gland M 32
 Basic material diecast aluminium Series HE
 Rated voltage (DIN EN 61984) 500 V Rated current (DIN EN 61984) 16 A
 BG 8

Version

Type of connection PUSH IN Installation size 8
 Conductor cross-section, max. 4 mm² Conductor cross-section, min. 0.5 mm²
 Surface finish Powder coating Basic material diecast aluminium
 BG 8

Classifications

ETIM 8.0 EC002943 ETIM 9.0 EC002943
 ETIM 10.0 EC002943 ECLASS 14.0 27-44-02-92
 ECLASS 15.0 27-44-02-92

HDC KIT HE-P 24.130 M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

HDC COS

Various accessories are available for our inserts. This includes coding elements for the inserts.



General ordering data

| | | |
|------------|----------------------------|---|
| Type | HDC COS 16 | Version |
| Order No. | 1431000000 | Heavy-duty connectors, Accessories, Coding System |
| GTIN (EAN) | 4008190052706 | |
| Qty. | 1 ST | |
| Type | HDC COS 24 | Version |
| Order No. | 1430900000 | Heavy-duty connectors, Accessories, Coding System |
| GTIN (EAN) | 4008190077228 | |
| Qty. | 1 ST | |
| Type | HDC COS 32 | Version |
| Order No. | 1430800000 | Heavy-duty connectors, Accessories, Coding System |
| GTIN (EAN) | 4008190176181 | |
| Qty. | 1 ST | |

SPB

Various accessories are available for our inserts. This includes coding elements for the inserts.



General ordering data

| | | |
|------------|----------------------------|--|
| Type | SPB-M 3 | Version |
| Order No. | 1203600000 | Heavy-duty connectors, Accessories, Lock bolts |
| GTIN (EAN) | 4008190120047 | |
| Qty. | 100 ST | |